


## Plant Report: Bearded iris

### *Iris, Bearded 'Amber Tambour'(L) brt yel Mj 36"*

**Botanical Name:** Iris germanica 'Amber Tambour'  
**Class:** Hardy Perennial  
**Height:** 3 - 4'  
**Flower Color:** Yellow  
**Light:** Full Sun  
**Soil:** Neutral, Rich, Good Drainage  
**Propagate by:** Rhizomes, Division  
**Divide in:** Summer, Late Sum, Early Fall  
**Custom:** pH 6.5-7.5  
**Remarks:** 1670 Sub for Krugerand Deadhead each dead flower bud, not entire stem until all flowering is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming individual leaves. If whole plant looks bad, cut to 4-6"

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 1 ft  
**Blooms:** Late Spring, Early Sum

**Plant in:** Late Spring, Early Sum




---

### *Iris, Bearded 'Anxious'(EL/R) lav MjS 35"*

**Botanical Name:** Iris germanica 'Anxious'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Violet  
**Light:** Full Sun  
**Soil:** Alkaline, Rich, Good Drainage, Moist  
**Propagate by:** Division  
**Divide in:** Late Sum  
**Uses:** Bedding  
**Custom:** Re-bloomer, ZONE 6 ONLY, pH 6.5-7.5  
**Remarks:** 548-Deadhead each dead flower bud, not entire stem until all flowering is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6"

**Zone:** 4 - 10  
**Type:** Garden Plant  
**Spacing / Spread:** 1 ft  
**Blooms:** Late Spring, Early Sum, Early Fall

**Plant in:** Late Spring, Early Sum, Early Fall



## Plant Report: Bearded iris - Page 2

### *Iris, Bearded 'Autumn Circus'(E/R) wht/pur MjS 35"*

**Botanical Name:** *Iris germanica* 'Autumn Circus'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Blooms:** Late Spring, Early Sum, Early Fall

**Light:** Full Sun

**Soil:** Alkaline, Rich, Good Drainage, Moist

**Propagate by:** Division

**Divide in:** Late Sum

**Uses:** Bedding

**Custom:** Re-bloomer, ZONE 6 ONLY, pH 6.5-7.5


**Remarks:** 292-Deadhead each dead flower bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6"

**Zone:** 4 - 10

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Plant in:** Late Spring, Early Sum, Early Fall



---

### *Iris, Bearded 'Beverly Sills'(EM) pk Mj 36"*

**Botanical Name:** *Iris germanica* 'Beverly Sills'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Late Sum

**Custom:** pH 6.5-7.5

**Remarks:** 814 see Cooley'97 p.56, sub: Hidden World. Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6".


**Zone:** 5 - 10

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum

**Plant in:** Late Spring, Early Sum



## Plant Report: Bearded iris - Page 3

### *Iris, Bearded 'Bubble Bath'(M) wht/yel Mj 38"*

**Botanical Name:** Iris germanica 'Bubble Bath'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Blooms:** Late Spring, Early Sum

**Light:** Full Sun

**Soil:** Alkaline, Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Late Sum

**Uses:** Bedding

**Custom:** pH 6.5-7.5


**Remarks:** 588-Deadhead each dead flower bud, not entire stem until all flower'g is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming ind. leaves. If whole plant looks bad, cut to 4-6"

**Zone:** 4 - 10

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Plant in:** Late Spring, Early Sum



---

### *Iris, Bearded 'Cascade Springs'(M) lt pur Mj 39"*

**Botanical Name:** Iris germanica 'Cascade Springs'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Blooms:** Late Spring, Early Sum

**Light:** Full Sun

**Soil:** Alkaline, Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Late Sum

**Uses:** Bedding

**Custom:** pH 6.5-7.5


**Remarks:** 444-Deadhead each dead flower bud, not entire stem until all flowering is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming individual leaves. If whole plant looks bad, cut to 4-6".

**Zone:** 4 - 10

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Plant in:** Late Spring, Early Sum



## Plant Report: Bearded iris - Page 4

### *Iris, Bearded 'Celestial Flame'(EM) wht Mj 37"*

**Botanical Name:** Iris germanica 'Celestial Flame'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** White

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Custom:** pH 6.5-7.5

**Remarks:** 1552 see Cooley'97 p. 27. Deadhead each dead flower bud, not entire stem until all flowering is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming individual leaves. If whole plant looks bad, cut to 4-6".


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum

**Divide in:** Late Sum



### *Iris, Bearded 'Champagne Elegance'(M/R) wht MjS 33"*

**Botanical Name:** Iris germanica 'Champagne Elegance'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** White, Orange

**Light:** Full Sun

**Soil:** Alkaline, Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Late Sum

**Uses:** Bedding

**Custom:** Re-bloomer, ZONE 6 ONLY, pH 6.5-7.5

**Remarks:** 2417-RB Deadhead each dead flower bud, not entire stem until all flowering is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming ind leaves. If whole plant looks bad, cut to 4-6". 10/10/10 2 wks af bloom

**Zone:** 4 - 10

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum, Early Fall

**Plant in:** Late Spring, Early Sum, Early Fall



### *Iris, Bearded 'Clear Morning Sky'(EM) blue Mj 40"*

**Botanical Name:** Iris germanica 'Clear Morning Sky'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** Blue

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum

**Plant in:** Late Spring, Early Sum



## Plant Report: Bearded iris - Page 5

**Divide in:** Late Sum

**Custom:** pH 6.5-7.5

**Remarks:** 1554 see Cooley'97 p. 29. Deadhead each dead flower bud, not entire stem until all flowering is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming individual leaves. If whole plant looks bad, cut to 4-6".

---


## Plant Report: Bearded iris - Page 6

### *Iris, Bearded 'Coral Chalice'(M/R) wht/salm MjS 34"*

**Botanical Name:** Iris germanica 'Coral Chalice'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** White  
**Light:** Full Sun  
**Soil:** Neutral, Rich, Good Drainage  
**Propagate by:** Rhizomes, Division  
**Divide in:** Late Sum  
**Uses:** Bedding  
**Custom:** Re-bloomer, ZONE 6 ONLY, pH 6.5-7.5  
**Remarks:** 2402

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 1 ft  
**Blooms:** Late Spring, Early Sum, Early Fall

**Plant in:** Late Spring, Early Sum, Early Fall



---

### *Iris, Bearded 'Creative Stitchery'(EM) wht/pur Mj 37"*

**Botanical Name:** Iris germanica 'Creative Stitchery'  
**Class:** Hardy Perennial  
**Height:** 3 - 4'  
**Flower Color:** White, Violet  
**Light:** Full Sun  
**Soil:** Neutral, Rich, Good Drainage  
**Propagate by:** Rhizomes, Division  
**Divide in:** Late Sum  
**Custom:** pH 6.5-7.5  
**Remarks:** 763 see Cooley'97 p. 67 sub: Rare Treat. Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If whole plant looks bad, cut to 4-6"

**Zone:** 4 - 10  
**Type:** Garden Plant  
**Spacing / Spread:** 1 ft  
**Blooms:** Early Sum, Summer

**Plant in:** Late Spring, Early Sum




---

### *Iris, Bearded 'Delta Blues'(M) blue Mj 36"*

**Botanical Name:** Iris germanica 'Delta Blues'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Blooms:** Late Spring, Early Sum  
**Light:** Full Sun  
**Soil:** Alkaline, Rich, Good Drainage  
**Propagate by:** Division

**Zone:** 4 - 10  
**Type:** Garden Plant  
**Spacing / Spread:** 1 ft

**Plant in:** Late Spring, Early Sum



## Plant Report: Bearded iris - Page 7

**Divide in:** Late Sum

**Uses:** Bedding

**Custom:** pH 6.5-7.5

**Remarks:** 166-Deadhead each dead flower bud, not entire stem until all flowering is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming individual leaves. If whole plant looks bad, cut to 4-6".

---

## Plant Report: Bearded iris - Page 8

### *Iris, Bearded 'Edith Wolford lav Mj 40'*

**Botanical Name:** Iris germanica 'Edith Wolford'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** Violet

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Summer, Late Sum, Early Fall

**Custom:** pH 6.5-7.5

**Remarks:** 1243 see Cooley's 1997 p.50 Deadhead each dead flower bud, not entire stem until all flowering is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming individual leaves.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum

**Plant in:** Late Spring, Early Sum



### *Iris, Bearded 'Elsiema Nicholson'(ML) hot pk Mj 36'*

**Botanical Name:** Iris germanica 'Elsiema Nicholson' POOR PERFORMER/Mulch!!

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Late Sum

**Custom:** pH 6.5-7.5

**Remarks:** 1910, sub for Top Gun. Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6


**Zone:** 5 - 10

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum

**Plant in:** Late Spring, Early Sum



### *Iris, Bearded 'Falling in Love'(M) pch Mj 36'*

**Botanical Name:** Iris germanica 'Falling in Love'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Blooms:** Late Spring, Early Sum

**Light:** Full Sun

**Soil:** Alkaline, Rich, Good Drainage


**Propagate by:** Division

**Zone:** 4 - 10

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Plant in:** Late Spring, Early Sum





## Plant Report: Bearded iris - Page 9

**Divide in:** Late Sum

**Custom:** pH 6.5-7.5

**Remarks:** 2314-Deadhead each dead flower bud, not entire stem until all flowering is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming individual leaves. If whole plant looks bad, cut to 4-6".

---

## Plant Report: Bearded iris - Page 10

### *Iris, Bearded 'Feminine Fire'(EM) pk Mj 36"*

**Botanical Name:** Iris germanica 'Feminine Fire'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Late Sum

**Custom:** pH 6.5-7.5

**Remarks:** 1671 Sub for Beverly Sills. Deadhead each dead flower bud, not entire stem until all flowering is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming individual leaves. If whole plant looks bad, cut to 4-6".


**Zone:** 5 - 10

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum

**Plant in:** Late Spring, Early Sum



### *Iris, Bearded 'Femme Fatale'(ML) pch Mj 35"*

**Botanical Name:** Iris germanica 'Femme Fatale'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Late Sum

**Custom:** pH 6.5-7.5

**Remarks:** 1555 see Cooley's '97 p. 58. Deadhead each dead flower bud, not entire stem until all flowering is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming individual leaves. If whole plant looks bad, cut to 4-6".


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum

**Plant in:** Late Spring, Early Sum



### *Iris, Bearded 'Forever Yours'(M/R) wht MjS 38"*

**Botanical Name:** Iris germanica 'Forever Yours' POOR PERFORMER

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Blooms:** Late Spring, Early Sum, Early Fall

**Light:** Full Sun

**Soil:** Alkaline, Rich, Good Drainage


**Propagate by:** Division

**Zone:** 4 - 10

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Plant in:** Late Spring, Early Sum, Early Fall



## Plant Report: Bearded iris - Page 11

**Divide in:** Late Sum

**Uses:** Bedding

**Custom:** Re-bloomer, ZONE 6 ONLY, pH 6.5-7.5

**Remarks:** 372-RB Deadhead each dead flower bud, not entire stem until all flowering is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming individual leaves. If whole plant looks bad, cut to 4-6". 10/10/10 2 wks af b

---

## Plant Report: Bearded iris - Page 12

### *Iris, Bearded 'Her Kingdom'(ML) lt pink Mj 36"*

**Botanical Name:** Iris germanica 'Her Kingdom'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Blooms:** Late Spring, Early Sum

**Light:** Full Sun

**Soil:** Alkaline, Rich, Good Drainage, Tolerates drought

**Propagate by:** Seeds, Division

**Divide in:** Spring, Fall

**Uses:** Bedding

**Custom:** pH 6.5-7.5


**Remarks:** 9-Deadhead each dead flower bud, not entire stem until all flowering is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming individual leaves. If whole plant looks bad, cut to 4-6".

**Zone:** 4 - 10

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Plant in:** Late Spring, Early Sum



---

### *Iris, Bearded 'Hidden World'(M) pk Mj 36"*

**Botanical Name:** Iris germanica 'Hidden World'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Late Sum

**Custom:** pH 6.5-7.5

**Remarks:** 1673 Sub for Beverly Sills. Deadhead each dead flower bud, not entire stem until all flowering is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming individual leaves. If whole plant looks bad, cut to 4-6".


**Zone:** 5 - 10

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum

**Plant in:** Late Spring, Early Sum




## Plant Report: Bearded iris - Page 13

### *Iris, Bearded 'Honky Tonk Blues'(M) lav Mj 37"*

**Botanical Name:** Iris germanica 'Honky Tonk Blues'  
**Class:** Hardy Perennial  
**Height:** 3 - 4'  
**Blooms:** Late Spring, Early Sum  
**Light:** Full Sun  
**Soil:** Alkaline, Rich, Good Drainage, Tolerates drought  
**Propagate by:** Division  
**Divide in:** Late Sum  
**Uses:** Bedding  
**Custom:** pH 6.5-7.5  
**Remarks:** 1-Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming individual leaves. If whole plant looks bad, cut to 4-6"

**Zone:** 4 - 10  
**Type:** Garden Plant  
**Spacing / Spread:** 1 ft

**Plant in:** Late Spring, Early Sum




---

### *Iris, Bearded 'Immortality'(M/R) wht MjS 29"*

**Botanical Name:** Iris germanica 'Immortality'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** White  
**Light:** Full Sun  
**Soil:** Alkaline, Rich, Good Drainage  
**Propagate by:** Division  
**Divide in:** Late Sum  
**Uses:** Bedding  
**Custom:** Re-bloomer, ZONE 6 ONLY, pH 6.5-7.5  
**Remarks:** 2416-RB Deadhead each dead flower bud, not entire stem until all flowering is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming ind leaves. If whole plant looks bad, cut to 4-6". 10/10/10 2 wks af bl

**Zone:** 4 - 10  
**Type:** Garden Plant  
**Spacing / Spread:** 1 ft  
**Blooms:** Late Spring, Early Sum, Early Fall

**Plant in:** Late Spring, Early Sum, Early Fall




## Plant Report: Bearded iris - Page 14

### *Iris, Bearded 'Jennifer Rebecca'(M/R) pk MjS 35"*

**Botanical Name:** Iris germanica 'Jennifer Rebecca'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Pink  
**Light:** Full Sun  
**Soil:** Alkaline, Rich, Good Drainage, Tolerates drought  
**Propagate by:** Division  
**Divide in:** Late Sum, Early Fall  
**Uses:** Bedding  
**Custom:** Re-bloomer, ZONE 6 ONLY, pH 6.5-7.5  
**Remarks:** 520-Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming individual leaves. If whole plant looks bad, cut to 4-6"

**Zone:** 4 - 10  
**Type:** Garden Plant  
**Spacing / Spread:** 1 ft  
**Blooms:** Late Spring, Early Sum, Early Fall

**Plant in:** Late Spring, Early Sum, Early Fall




---

### *Iris, Bearded 'Krugerand'(L) brt yel Mj 36"*

**Botanical Name:** Iris germanica 'Krugerand'  
**Class:** Hardy Perennial  
**Height:** 3 - 4'  
**Flower Color:** Yellow  
**Light:** Full Sun  
**Soil:** Neutral, Rich, Good Drainage  
**Propagate by:** Rhizomes, Division  
**Divide in:** Summer, Late Sum, Early Fall  
**Custom:** pH 6.5-7.5  
**Remarks:** 662-Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming individual leaves. If whole plant looks bad, cut to 4-6"

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 1 ft  
**Blooms:** Early Sum, Summer

**Plant in:** Late Spring, Fall



## Plant Report: Bearded iris - Page 15

### *Iris, Bearded 'Lady Friend'(E) pk Mj 38"*

**Botanical Name:** Iris germanica 'Lady Friend'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** Pink

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Late Sum

**Custom:** pH 6.5-7.5

**Remarks:** 903 see Cooley's '97 p. 47. Deadhead each dead flower bud, not entire stem until all flowering is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming individual leaves. If whole plant looks bad, cut to 4-6".


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum

**Plant in:** Late Spring, Early Sum



### *Iris, Bearded 'Lavender Blue' Mj 36"*

**Botanical Name:** Iris germanica 'Lavender Blue' (unknown cv.)

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Violet

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Late Sum

**Custom:** Large Flowers

**Remarks:** 1675 Company Stock. Actual identity unknown.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Early Sum, Summer

**Plant in:** Late Sum, Early Fall, Fall, Late Fall



### *Iris, Bearded 'Leda's Lover'(M) wht Mj 37"*

**Botanical Name:** Iris germanica 'Leda's Lover'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** White

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Late Sum


**Zone:** 5

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Early Sum, Summer

**Plant in:** Late Sum, Early Fall



## Plant Report: Bearded iris - Page 16

**Custom:** pH 6.5-7.5

**Remarks:** 764 Use Bubbly Mood. Deadhead each dead flower bud, not entire stem until all flowering is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming individual leaves. If whole plant looks bad, cut to 4-6".

---



## Plant Report: Bearded iris - Page 17

### *Iris, Bearded 'Moon Journey'(M) wht/yel Mj 35"*

**Botanical Name:** Iris germanica 'Moon Journey' Poor Performer/Mulch!!

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** White, Yellow

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Late Sum

**Custom:** pH 6.5-7.5

**Remarks:** 1556 see Cooley'97 p. 24,sub for Tulip Fest.Deadhead each dead flwr bud, not entire stem until all flwring is complete.Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf.If plant looks bad, cut to 4-6".


**Zone:** Unspecified

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum

**Plant in:** Late Spring, Early Sum



---

### *Iris, Bearded 'Nights of Gladness'(ML) pur Mj 36"*

**Botanical Name:** Iris germanica 'Nights of Gladness'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** Violet

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Summer, Late Sum, Early Fall

**Custom:** pH 6.5-7.5

**Remarks:** 661 see Cooley's '97 p. 45. Deadhead each dead flwr bud, not entire stem until all flwring is complete.Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf.If plant looks bad, cut to 4-6".


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum

**Plant in:** Late Spring, Early Sum



---

### *Iris, Bearded 'Northwestern Skies'(ML) wht/bl Mj 37"*

**Botanical Name:** Iris germanica 'Northwestern Skies'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** White, Blue

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum

**Plant in:** Late Spring, Early Sum



## Plant Report: Bearded iris - Page 18

**Divide in:** Late Sum

**Custom:** pH 6.5-7.5

**Remarks:** 1558 see Cooley's '97 p. 28. Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6".

---

## Plant Report: Bearded iris - Page 19

### *Iris, Bearded 'Ocean Pacific'(EM/R) pur MjS 36"*

**Botanical Name:** Iris germanica 'Ocean Pacific'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Blooms:** Late Spring, Early Sum, Early Fall

**Light:** Full Sun

**Soil:** Alkaline, Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Late Sum, Early Fall

**Uses:** Bedding

**Custom:** Re-bloomer, ZONE 6 ONLY, pH 6.5-7.5

**Remarks:** 249-Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6".


---

**Zone:** 4 - 10

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Plant in:** Late Spring, Early Sum, Early Fall



### *Iris, Bearded 'Poem of Ecstasy'(M) pk/pur Mj 36"*

**Botanical Name:** Iris germanica 'Poem of Ecstasy'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Blooms:** Late Spring, Early Sum

**Light:** Full Sun

**Soil:** Alkaline, Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Late Sum, Early Fall

**Uses:** Border, Few Pests/Diseases, Naturalize, Off Season Interest, Screen

**Remarks:** 518-Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6".


---

**Zone:** 4 - 10

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Plant in:** Late Spring, Early Sum



## Plant Report: Bearded iris - Page 20

### *Iris, Bearded 'Rare Treat'(EM) wht/blue Mj 34"*

**Botanical Name:** Iris germanica 'Rare Treat'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** White, Blue

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Late Sum

**Custom:** pH 6.5-7.5

**Remarks:** 1560 see Cooley'97,sub for Creative Stitch.Deadhead each dead flwr bud, not entire stem until all flwring is complete.Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf.If plant looks bad, cut to 4-6".


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum

**Plant in:** Late Spring, Early Sum



---

### *Iris, Bearded 'Red at Night'(EM) maroon Mj 38"*

**Botanical Name:** Iris germanica 'Red at Night'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Blooms:** Late Spring, Early Sum

**Light:** Full Sun

**Soil:** Alkaline, Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Late Sum, Early Fall

**Uses:** Bedding

**Custom:** pH 6.5-7.5


**Remarks:** 248-Deadhead each dead flwr bud, not entire stem until all flwring is complete.Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf.If plant looks bad, cut to 4-6".

**Zone:** 4 - 10

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Plant in:** Late Spring, Early Sum



## Plant Report: Bearded iris - Page 21

### *Iris, Bearded 'Role Model'(EM) pk/red Mj 36"*

**Botanical Name:** Iris germanica 'Role Model'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Blooms:** Late Spring, Early Sum

**Light:** Full Sun

**Soil:** Alkaline, Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Late Sum, Early Fall

**Uses:** Bedding


**Custom:** pH 6.5-7.5

**Remarks:** 270- Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6".

**Zone:** 4 - 10

**Type:** Garden Plant

**Spacing / Spread:** 1 ft



**Plant in:** Late Spring, Early Sum

---

### *Iris, Bearded 'Royal Courtship'(M/R) pur MjS 34"*

**Botanical Name:** Iris germanica 'Royal Courtship'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Violet

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Summer, Late Sum, Early Fall

**Uses:** Bedding

**Custom:** Re-bloomer, ZONE 6 ONLY, pH 6.5-7.5


**Remarks:** 2401 7-9 buds

**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum, Early Fall



**Plant in:** Late Spring, Early Sum, Early Fall

---

## Plant Report: Bearded iris - Page 22

### *Iris, Bearded 'Ruffled Copper Sunset'(EM) copper Mj 36"*

**Botanical Name:** Iris germanica 'Ruffled Copper Sunset'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Blooms:** Late Spring, Early Sum

**Light:** Full Sun

**Soil:** Alkaline, Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Late Sum, Early Fall

**Uses:** Bedding

**Custom:** pH 6.5-7.5


**Remarks:** 537-Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6".

**Zone:** 4 - 10

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Plant in:** Late Spring, Early Sum



---

### *Iris, Bearded 'Ruffles Supreme'(ML) crm Mj 32"*

**Botanical Name:** Iris germanica 'Ruffles Supreme'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** White, Blue

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Late Sum

**Custom:** pH 6.5-7.5

**Remarks:** 1561 see Cooley'97 p. 23. Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6".


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum

**Plant in:** Late Spring, Early Sum



## Plant Report: Bearded iris - Page 23

### *Iris, Bearded 'Samurai Warrior'(ML) cherry red j 34"*

**Botanical Name:** Iris germanica 'Samurai Warrior'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Red

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Summer, Late Sum, Early Fall

**Custom:** pH 6.5-7.5

**Remarks:** 1241 see Cooley's '97 p.17. Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6".


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Early Sum

**Plant in:** Early Sum



---

### *Iris, Bearded 'Silent Majesty'(M) pur Mj 36"*

**Botanical Name:** Iris germanica 'Silent Majesty'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Violet

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Late Sum

**Custom:** pH 6.5-7.5

**Remarks:** 957 No longer available. Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6".


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Early Sum, Summer

**Plant in:** Early Fall, Fall, Late Fall



---

### *Iris, Bearded 'Silverado'(EM) silvery-blue Mj 38"*

**Botanical Name:** Iris germanica 'Silverado'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** White, Blue

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum

**Plant in:** Late Spring, Early Sum



## Plant Report: Bearded iris - Page 24

**Divide in:** Late Sum

**Custom:** pH 6.5-7.5

**Remarks:** 1562 see Cooley's '97 p.29. Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6".

---



## Plant Report: Bearded iris - Page 25

### *Iris, Bearded 'Skating Party'(ML) wht Mj 37"*

**Botanical Name:** Iris germanica 'Skating Party' POOR PERFORMER/Mulch!!

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** White

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Late Sum

**Custom:** pH 6.5-7.5

**Remarks:** 1674 Sub for Leda's Lover. Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6".


**Zone:** 5

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum

**Plant in:** Late Spring, Early Sum



### *Iris, Bearded 'Speed Limit'(EM/R) pur MjJS 38"*

**Botanical Name:** Iris germanica 'Speed Limit'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** Violet

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Summer, Late Sum, Early Fall

**Uses:** Bedding

**Custom:** Re-bloomer, ZONE 6 ONLY, pH 6.5-7.5

**Remarks:** 2403


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum, Summer, Early Fall

**Plant in:** Late Spring, Early Sum, Summer, Early Fall



### *Iris, Bearded 'Sterling's Purp. Emperor'(M) P Mj 40"*

**Botanical Name:** Iris germanica 'Sterling's Purple Emperor'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** Violet

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division


**Zone:** 5

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum

**Plant in:** Late Spring, Early Sum



## Plant Report: Bearded iris - Page 26

**Divide in:** Late Sum

**Custom:** pH 6.5-7.5

**Remarks:** 1678. Have 1000 in stock. Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6".

---

## Plant Report: Bearded iris - Page 27

### *Iris, Bearded 'Thai Orange'(M) orng Mj 37"*

**Botanical Name:** Iris germanica 'Thai Orange'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Blooms:** Late Spring, Early Sum

**Light:** Full Sun

**Soil:** Alkaline, Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Late Sum, Early Fall

**Uses:** Bedding

**Custom:** pH 6.5-7.5


**Remarks:** 171-Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6"

**Zone:** 4 - 10

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Plant in:** Late Spring, Early Sum



---

### *Iris, Bearded 'Timescape'(M) lav Mj 42"*

**Botanical Name:** Iris germanica 'Timescape'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** Violet

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Late Sum

**Custom:** pH 6.5-7.5

**Remarks:** 1564 Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6".


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum

**Plant in:** Late Spring, Early Sum



## Plant Report: Bearded iris - Page 28

### *Iris, Bearded 'Titan's Glory'(EM) pur Mj 37"*

**Botanical Name:** Iris germanica 'Titan's Glory'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** Violet

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Summer, Late Sum, Early Fall

**Custom:** pH 6.5-7.5

**Remarks:** 660 see Cooley's '97 p. 45. Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6".


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Early Sum, Summer

**Plant in:** Late Spring, Fall



### *Iris, Bearded 'Top Gun'(M) hot pk Mj 38"*

**Botanical Name:** Iris germanica 'Top Gun'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** Pink

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Late Sum

**Custom:** pH 6.5-7.5

**Remarks:** 815 Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6"


**Zone:** 5 - 10

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Early Sum, Summer

**Plant in:** Late Sum, Early Fall



### *Iris, Bearded 'Total Recall'(E-L/R) wht/yel MjS 34"*

**Botanical Name:** Iris germanica 'Total Recall' POOR PERFORMER/Mulch!!

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** White, Yellow

**Light:** Full Sun

**Soil:** Alkaline, Rich, Good Drainage

**Propagate by:** Division


**Zone:** 4 - 10

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum, Early Fall

**Plant in:** Late Spring, Early Sum, Early Fall



## Plant Report: Bearded iris - Page 29

**Divide in:** Late Sum, Early Fall

**Uses:** Bedding

**Custom:** Re-bloomer, ZONE 6 ONLY, pH 6.5-7.5

**Remarks:** 620-Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6".

---

## Plant Report: Bearded iris - Page 30

### *Iris, Bearded 'Victoria Falls'(L) lav Mj 40"*

**Botanical Name:** Iris germanica 'Victoria Falls'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** Violet

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Summer, Late Sum, Early Fall

**Custom:** pH 6.5-7.5

**Remarks:** 659 see Roris Gardens '97 p. 65. Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6".


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Early Sum, Summer

**Plant in:** Late Spring, Fall



### *Iris, Bearded 'Virginia Lyle'(ML) blue Mj 24"*

**Botanical Name:** Iris germanica 'Virginia Lyle'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Yellow, Blue, Violet

**Light:** Full Sun

**Soil:** Neutral, Rich, Good Drainage

**Propagate by:** Rhizomes, Division

**Divide in:** Summer, Late Sum, Early Fall

**Custom:** pH 6.5-7.5

**Remarks:** 2362 see Schreiner's 2000 p.64 Deadhead each dead flower bud, not entire stem until all flowering is complete. Then cut flower stalk to the foliage. Keep leaves looking tidy by pulling off or trimming individual leaves.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum

**Plant in:** Late Spring, Early Sum



### *Iris, Bearded 'Well Endowed'(EM/R) yel MjS 40"*

**Botanical Name:** Iris germanica 'Well Endowed'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** Yellow

**Light:** Full Sun

**Soil:** Alkaline, Rich, Good Drainage

**Propagate by:** Division


**Zone:** 4 - 10

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum, Early Fall

**Plant in:** Late Spring, Early Sum, Early Fall



## Plant Report: Bearded iris - Page 31

**Divide in:** Late Sum, Early Fall

**Uses:** Bedding

**Custom:** Re-bloomer, ZONE 6 ONLY, pH 6.5-7.5

**Remarks:** 388-Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6".

---

## Plant Report: Bearded iris - Page 32

*Iris, Bearded 'Zebra'(M) lav Mj 18-24"*

**Botanical Name:** Iris pallida 'Variegata'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Violet

**Light:** Full Sun

**Soil:** Good Drainage

**Propagate by:** Division

**Custom:** pH 6.0-7.5

**Remarks:** 1339 Deadhead each dead flwr bud, not entire stem until all flwring is complete. Then cut flwr stalk to the foliage. Keep leaves looking tidy by pulling off or trimming each leaf. If plant looks bad, cut to 4-6".

**Zone:** 5

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Late Spring, Early Sum

**Plant in:** Late Spring, Early Sum

