


## Plant Report: Daylilies

### *Daylily 'Addie Branch Smith'(M) rose J 20"*

**Botanical Name:** Hemerocallis 'Addie Branch Smith'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Pink  
**Blooms:** Summer  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 2069 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Flower Size (inches):** 4

**Plant in:** Early Spr, Spring, Late Spring




---

### *Daylily 'Adeline Goldner'(ML) gld JA 3'*

**Botanical Name:** Hemerocallis 'Adeline Goldner'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Yellow  
**Light:** Full Sun  
**Propagate by:** Division  
**Remarks:** 2367

**Zone:** 4 - 9  
**Type:** Garden Plant  
**Spacing / Spread:** 2 ft  
**Blooms:** Summer, Late Sum




---

### *Daylily 'Ain't I Something'(M/R) yel J 36"*

**Botanical Name:** Hemerocallis 'Ain't I Something' Expensive!  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Yellow  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 2234- Love at first sight with garden visitors. A large double bloom in spectra-yellow with large center petaloids. A very green throat, with a tall scape and large blooms. Very Expensive!!

**Zone:** 5  
**Type:** Garden Plant  
**Spacing / Spread:** 2 ft  
**Blooms:** Summer



## Plant Report: Daylilies - Page 2

### *Daylily 'Angel of Light'(M) lt pink J 38"*

**Botanical Name:** Hemerocallis 'Angel of Light'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** Pink

**Blooms:** Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Uses:** Border

**Custom:** pH 6.0-8.0

**Remarks:** 1989 Pale pink with raised lavender rib. Spent flowers are to be picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 6

**Plant in:** Spring, Late Spring



### *Daylily 'Anna Warner'(M/R) pink J 24"*

**Botanical Name:** Hemerocallis 'Anna Warner'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Pink

**Light:** Full Sun, Part Shade


**Remarks:** 2377

**Zone:** 4 - 9

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Summer



### *Daylily 'Apache Queen'(EM) red jJ 22"*

**Botanical Name:** Hemerocallis 'Apache Queen'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Red

**Blooms:** Early Sum, Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Uses:** Border

**Custom:** pH 6.0-8.0

**Remarks:** 1978 Reblooms, true red w/ yel throat. Spent flowers are to be picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 5

**Plant in:** Spring, Late Spring



## Plant Report: Daylilies - Page 3

daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.




## Plant Report: Daylilies - Page 4

### *Daylily 'Apricot Wax'(EM/R) apricot jJ 30"*

**Botanical Name:** Hemerocallis 'Apricot Wax'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Pink  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 891 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring




---

### *Daylily 'Arthur Moore'(M) apricot J 24"*

**Botanical Name:** Hemerocallis 'Arthur Moore'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Pink  
**Blooms:** Summer  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 2078 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Flower Size (inches):** 5

**Plant in:** Early Spr, Spring, Late Spring




---

### *Daylily 'Attribution'(EM) lt pink jJ 24"*

**Botanical Name:** Hemerocallis 'Attribution'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Pink  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring



## Plant Report: Daylilies - Page 5

**Remarks:** 1001 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


## Plant Report: Daylilies - Page 6

### *Daylily 'August Cheer'(L) pk/pur A 30"*

**Botanical Name:** Hemerocallis 'August Cheer'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Pink  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 1070 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Late Sum

**Plant in:** Spring, Late Spring




---

### *Daylily 'Autumn Red'(M/R) dp red J 28"*

**Botanical Name:** Hemerocallis 'Autumn Red'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Red  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Divide in:** Fall  
**Custom:** pH 6.0-8.0  
**Remarks:** 650 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer

**Plant in:** Late Spring




---

### *Daylily 'Bali Hai'(M) melon pink JA 22"*

**Botanical Name:** Hemerocallis 'Bali Hai'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Pink  
**Light:** Full Sun, Part Shade  
**Soil:** Rich, Moist  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer, Late Sum

**Plant in:** Spring, Late Spring



## Plant Report: Daylilies - Page 7

**Remarks:** 1067 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---

## Plant Report: Daylilies - Page 8

### *Daylily 'Benchmark'(M/R) lav/pk/yel J 30"*

**Botanical Name:** Hemerocallis 'Benchmark'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Violet

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 985 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer

**Plant in:** Early Spr, Spring, Late Spring



### *Daylily 'Beyond Reason'(ML/R) pk/pch JA 24"*

**Botanical Name:** Hemerocallis 'Beyond Reason' Expensive

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Pink

**Propagate by:** Division

**Custom:** pH 6.0-8.0


**Remarks:** 2235- With all the gaudy edges and eyes this bloom is a change. A narrow band in the throat is rose in color with a repeat on the inner edge of the petals/. Outer edge of the petal is gold. Expensive!!

**Zone:** 5

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Blooms:** Summer, Late Sum



### *Daylily 'Bird's Eye'(EE/R) ivory/rose j 20"*

**Botanical Name:** Hemerocallis 'Birds Eye'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** White

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 1023 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring






## Plant Report: Daylilies - Page 9

### *Daylily 'Black Eyed Stella'(E/R) gold jJAS 18"*

**Botanical Name:** Hemerocallis 'Black Eyed Stella'  
**Class:** Hardy Perennial  
**Height:** 12 - 18"  
**Flower Color:** Yellow  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Divide in:** Spring, Late Spring  
**Custom:** pH 6.0-8.0

**Zone:** 4 - 10  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Early Sum, Summer, Late Sum, Early Fall



**Plant in:** Late Spring


**Remarks:** 830 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---

### *Daylily 'Blaze Away'(EM/R) orng jJ 26"*

**Botanical Name:** Hemerocallis 'Blaze Away'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Orange, Black  
**Blooms:** Early Sum, Summer  
**Light:** Full Sun, Part Shade  
**Propagate by:** Division  
**Remarks:** 2348- Very colorful tigerlily-orange with a burgundy eye. Its big and bold. Expensive!!


**Zone:** 4 - 5  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Flower Size (inches):** 6



### *Daylily 'Blonde is Beautiful'(M) yel/crm/lemon J 28"*

**Botanical Name:** Hemerocallis 'Blonde is Beautiful'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Yellow  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer



**Plant in:** Early Spr, Spring, Late Spring

**Remarks:** 1028 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---

## Plant Report: Daylilies - Page 10


### *Daylily 'Bobo Anne'(EM/R) pk/tang jJ 25"*

**Botanical Name:** Hemerocallis 'Bobo Anne' Expensive  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Pink, Orange  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Uses:** Border  
**Custom:** pH 6.0-8.0

**Remarks:** 1926 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Early Sum, Summer

**Plant in:** Early Spr, Spring, Late Spring




### *Daylily 'Bonanza'(M) orng yel jJ 20"*

**Botanical Name:** Hemerocallis 'Bonanza'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Orange, Yellow  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0

**Remarks:** 940 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Early Sum, Summer

**Plant in:** Spring, Late Spring




### *Daylily 'Brookridge'(EM) melon/pink jJ 26"*

**Botanical Name:** Hemerocallis 'Brookridge'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Pink, Orange  
**Blooms:** Early Sum, Summer  
**Light:** Full Sun, Part Shade  
**Soil:** Rich, Good Drainage  
**Propagate by:** Division

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 2 ft  
**Flower Size (inches):** 4 - 5

**Plant in:** Spring, Late Spring



## Plant Report: Daylilies - Page 11

**Uses:** Border, Cut Flower

**Custom:** pH 6.0-8.0

**Remarks:** 602. blooms melon w/pink midribs




## Plant Report: Daylilies - Page 12

### *Daylily 'Buffy's Doll'(M/R) pink/rose JA12 "*

**Botanical Name:** Hemerocallis 'Buffy's Doll'  
**Class:** Hardy Perennial  
**Height:** 8 - 12"  
**Flower Color:** Pink  
**Blooms:** Summer, Late Sum  
**Light:** Full Sun, Part Shade  
**Soil:** Rich, Good Drainage  
**Propagate by:** Division  
**Uses:** Bedding, Border, Cut Flower  
**Custom:** pH 6.0-8.0  
**Remarks:** 603. pink self w/ rose eye; repeat bloomer

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Flower Size (inches):** 3

**Plant in:** Spring, Late Spring




---

### *Daylily 'Bugs Hug'(EM/R) rasp pk jJ 15 "*

**Botanical Name:** Hemerocallis 'Bugs Hug'  
**Class:** Hardy Perennial  
**Height:** 12 - 18"  
**Flower Color:** Pink  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 1 ft  
**Blooms:** Early Sum

**Remarks:** 647 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.




---

### *Daylily 'By Myself'(M) yell/lt gold jJ 32 "*

**Botanical Name:** Hemerocallis 'By Myself'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Yellow  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring



## Plant Report: Daylilies - Page 13

**Remarks:** 1032 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


## Plant Report: Daylilies - Page 14

### *Daylily 'Canadian Border Patrol' (EM/R) cr/pur jJA 28"*

**Botanical Name:** Hemerocallis 'Canadian Border Patrol'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Size (inches):** 4 - 6  
**Light:** Full Sun, Part Shade  
**Soil:** Rich, Good Drainage  
**Propagate by:** Division  
**Divide in:** Spring, Fall  
**Uses:** Bedding, Border, Cut Flower  
**Remarks:** #2713- Cream colored w/ purple edge and throat.

**Zone:** 4 - 9  
**Type:** Garden Plant  
**Spacing / Spread:** 2 ft  
**Blooms:** Early Sum, Summer

**Plant in:** Spring, Late Spring




### *Daylily 'Candy Factory'(ML) dusty rose JA 27"*

**Botanical Name:** Hemerocallis 'Candy Factory'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Pink  
**Blooms:** Summer, Late Sum  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 2076 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Flower Size (inches):** 6

**Plant in:** Early Spr, Spring, Late Spring




### *Daylily 'Cat's Cradle'(EM/R) yel jJ 38"*

**Botanical Name:** Hemerocallis 'Cat's Cradle'  
**Class:** Hardy Perennial  
**Height:** 3 - 4'  
**Flower Color:** Yellow  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer

**Plant in:** Early Spr, Spring, Late Spring



## Plant Report: Daylilies - Page 15

**Remarks:** 1025 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


## Plant Report: Daylilies - Page 16

### *Daylily 'Catherine Neal'(L/R) dp pur AS 30"*

**Botanical Name:** Hemerocallis 'Catherine Neal'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Rate:** Slow  
**Flower Color:** Violet  
**Blooms:** Late Sum, Early Fall  
**Light:** Full Sun, Part Shade  
**Soil:** Rich, Good Drainage  
**Propagate by:** Division  
**Divide in:** Spring, Fall  
**Uses:** Bedding, Border, Cut Flower  
**Custom:** pH 6.0-8.0  
**Remarks:** 596. deep purple self/green throat

**Zone:** 4 - 9  
**Type:** Garden Plant  
**Spacing / Spread:** 2 ft  
**Flower Size (inches):** 6

**Plant in:** Spring




---

### *Daylily 'Catherine Woodbury'(ML) orchid JA 30"*

**Botanical Name:** Hemerocallis 'Catherine Woodbury'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Pink  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Divide in:** Spring, Late Spring  
**Custom:** pH 6.0-8.0  
**Remarks:** 694 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4 - 10  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer, Late Sum

**Plant in:** Late Spring





## Plant Report: Daylilies - Page 17

### *Daylily 'Cee Tee'(EM/R) clear pk JJ 25"*

**Botanical Name:** Hemerocallis 'Cee Tee'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 997 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


**Zone:** 5

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring



### *Daylily 'Charlie Pierce Memorial'(EM/R) lav J 24"*

**Botanical Name:** Hemerocallis 'Charlie Pierce Memorial'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Violet

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 981 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer

**Plant in:** Early Spr, Spring, Late Spring



### *Daylily 'Cherry Cheeks'(ML) rasp JAS 28"*

**Botanical Name:** Hemerocallis 'Cherry Cheeks'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Divide in:** Spring, Late Spring

**Custom:** pH 6.0-8.0


**Zone:** Unspecified

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer, Late Sum, Early Fall

**Plant in:** Late Spring



## Plant Report: Daylilies - Page 18

**Remarks:** 684 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---

## Plant Report: Daylilies - Page 19

### *Daylily 'Cherry Lace'(M) red/pk J 32-36"*

**Botanical Name:** Hemerocallis 'Cherry Lace'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Red, Pink

**Blooms:** Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Uses:** Border

**Custom:** pH 6.0-8.0

**Remarks:** 1977 Cherry rose with creamy pink ribs. Spent flowers are to be picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Flower Size (inches):** 6

**Plant in:** Spring, Late Spring



### *Daylily 'Chicago Blackout'(M) red/blk red J 30"*

**Botanical Name:** Hemerocallis 'Chicago Blackout'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Red

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 1012 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer

**Plant in:** Early Spr, Spring, Late Spring



### *Daylily 'Chicago Firecracker'(M) red J 26"*

**Botanical Name:** Hemerocallis 'Chicago Firecracker'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Red

**Blooms:** Summer

**Light:** Full Sun, Part Shade


**Soil:** Rich

**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 5



## Plant Report: Daylilies - Page 20

**Propagate by:** Division

**Uses:** Border

**Custom:** pH 6.0-8.0

**Remarks:** 1979 Red with green throat. Spent flowers are to be picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Plant in:** Spring, Late Spring


## Plant Report: Daylilies - Page 21

### *Daylily 'Chicago Knobby'(EM) pur bi-tone jJ 22"*

**Botanical Name:** Hemerocallis 'Chicago Knobby'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Violet  
**Blooms:** Summer, Late Sum  
**Light:** Full Sun, Part Shade  
**Soil:** Rich, Good Drainage, Poor Drainage  
**Propagate by:** Seeds, Stem cuttings  
**Uses:** Bedding, Border, Cut Flower  
**Custom:** pH 6.0-8.0  
**Remarks:** 440. Semi-evergreen foliage. Tetraploid.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 2 ft  
**Flower Size (inches):** 6

**Plant in:** Spring




---

### *Daylily 'Chicago Royal Robe'(E) pur j 24"*

**Botanical Name:** Hemerocallis 'Chicago Royal Robe'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Violet  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Divide in:** Spring, Late Spring  
**Custom:** pH 6.0-8.0  
**Remarks:** 701 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4 - 10  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Early Sum, Summer

**Plant in:** Late Spring




---

### *Daylily 'Chicago Sunrise'(M) orng jJ 28"*

**Botanical Name:** Hemerocallis 'Chicago Sunrise'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Orange  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 2 ft  
**Blooms:** Early Sum, Summer

**Plant in:** Spring, Late Spring



## Plant Report: Daylilies - Page 22

**Custom:** pH 6.0-8.0

**Remarks:** 938 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


## Plant Report: Daylilies - Page 23

### *Daylily 'Cool Jazz'(E/R) clr shell pk j 28"*

**Botanical Name:** Hemerocallis 'Cool Jazz'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Pink  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 1003 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 5 - 10  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring




### *Daylily 'Country Melody'(M) pk/yel J 30"*

**Botanical Name:** Hemerocallis 'Country Melody'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Pink, Yellow  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 1818 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer

**Plant in:** Spring, Late Spring




### *Daylily 'Cranberry Baby'crnbry jJA 12"*

**Botanical Name:** Hemerocallis 'Cranberry Baby'  
**Class:** Hardy Perennial  
**Height:** 8 - 12"  
**Flower Color:** Red  
**Blooms:** Early Sum, Summer, Late Sum  
**Light:** Full Sun, Part Shade  
**Soil:** Good Drainage  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 1 ft  
**Flower Size (inches):** 12

**Divide in:** Early Fall



## Plant Report: Daylilies - Page 24

**Remarks:** 1444Rapid multiplier Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---




## Plant Report: Daylilies - Page 25

### *Daylily 'Custard Candy' (EM/R) cr/mar jJA 24"*

**Botanical Name:** Hemerocallis 'Custard Candy'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Size (inches):** 3 - 4  
**Light:** Full Sun, Part Shade  
**Soil:** Rich, Good Drainage  
**Propagate by:** Division  
**Divide in:** Spring, Fall  
**Uses:** Bedding, Border, Cut Flower  
**Remarks:** #2714- Cream colored w/ maroon eye.

**Zone:** 4 - 9  
**Type:** Garden Plant  
**Spacing / Spread:** 2 ft  
**Blooms:** Early Sum, Summer

**Plant in:** Spring, Late Spring




### *Daylily 'Dance Ballerina Dance'(M) pk J 24"*

**Botanical Name:** Hemerocallis 'Dance Ballerina Dance'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Pink  
**Blooms:** Summer  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 2056 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Flower Size (inches):** 6


**Plant in:** Early Spr, Spring, Late Spring



### *Daylily 'Dancing Shiva'(E/R) pk JAS 22"*

**Botanical Name:** Hemerocallis 'Dancing Shiva'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Pink  
**Light:** Full Sun, Part Shade  
**Custom:** pH 6.0-8.0  
**Remarks:** 1547 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer, Late Sum, Early Fall



## Plant Report: Daylilies - Page 26

### *Daylily 'Daring Deception'(EM) crm-pk/pur jJ 24"*

**Botanical Name:** Hemerocallis 'Daring Deception'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Pink, Violet

**Blooms:** Early Sum, Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Spring, Fall

**Uses:** Bedding, Border, Cut Flower

**Custom:** pH 6.0-8.0

**Remarks:** 592. cream-pink self/purple eye/green throat/ruffled purple edge; Tetraploid


**Zone:** 4 - 9

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Flower Size (inches):** 5

**Plant in:** Spring



### *Daylily 'Dark Star'(EM) red/dk red viol jJ 32"*

**Botanical Name:** Hemerocallis 'Dark Star'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Red

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 1017 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring



### *Daylily 'Deborah Silver'(ML/R) silv-wht JAS 30"*

**Botanical Name:** Hemerocallis 'Deborah Silver'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** White

**Blooms:** Summer, Late Sum, Early Fall

**Light:** Full Sun, Part Shade


**Soil:** Rich, Good Drainage

**Zone:** 4 - 9

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Flower Size (inches):** 5 - 6



**Plant Report: Daylilies - Page 27**

**Propagate by:** Division

**Divide in:** Spring, Fall

**Uses:** Bedding, Border, Cut Flower

**Custom:** pH 6.0-8.0

**Remarks:** 93. Large silvery-white blooms.

**Plant in:** Early Spr



## Plant Report: Daylilies - Page 28

### *Daylily 'Decatur Apricot'(M/R) coral J 28"*

**Botanical Name:** Hemerocallis 'Decatur Apricot'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink

**Blooms:** Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Uses:** Border

**Custom:** pH 6.0-8.0

**Remarks:** 1999 Ruffled, coral. Spent flowers are to be picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


---

**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Flower Size (inches):** 6



**Plant in:** Spring, Late Spring

### *Daylily 'Dominic'(EM/R) dk red J 30"*

**Botanical Name:** Hemerocallis 'Dominic'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Red

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 1016 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


---

**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer



**Plant in:** Early Spr, Spring, Late Spring

### *Daylily 'Double Joanna'(M/R) med viol J 30"*

**Botanical Name:** Hemerocallis 'Double Joanna'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Violet

**Light:** Full Sun, Part Shade

**Soil:** Rich


**Propagate by:** Division

**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer



**Plant in:** Late Spring

## Plant Report: Daylilies - Page 29

**Divide in:** Fall

**Custom:** pH 6.0-8.0

**Remarks:** 646 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---

## Plant Report: Daylilies - Page 30

### *Daylily 'Double PomPom'(M) salmon pk J 34"*

**Botanical Name:** Hemerocallis 'Double Pom Pom'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 811 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 5 - 10

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer

**Plant in:** Spring, Late Spring



### *Daylily 'Dresden Beauty'(ML/R) crm/lav JAS 31"*

**Botanical Name:** Hemerocallis 'Dresden Beauty'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** White

**Light:** Full Sun, Part Shade

**Soil:** Rich, Good Drainage

**Propagate by:** Division

**Uses:** Bedding, Border, Cut Flower

**Custom:** pH 6.0-8.0

**Remarks:** 2501. cream self w/ lavender midrib; repeat bloomer


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Blooms:** Summer, Late Sum, Early Fall

**Plant in:** Spring



### *Daylily 'Easter Sunday'(EM) gold jJ 25"*

**Botanical Name:** Hemerocallis 'Easter Sunday'

**Class:** Hardy Perennial

**Height:** 12 - 18"

**Flower Color:** Yellow

**Light:** Full Sun, Part Shade

**Soil:** Good Drainage

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 780 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown &


**Zone:** 5

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer, Late Sum

**Plant in:** Late Sum, Early Fall



yellowed stems and leaves are removed in a continuous manner.



## Plant Report: Daylilies - Page 32

### *Daylily 'Ed Murray'(M) red/dp blk red jJ 30"*

**Botanical Name:** Hemerocallis 'Ed Murray'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Red

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 1018 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring



### *Daylily 'Elaine Strutt'(ML) pink JAS 38"*

**Botanical Name:** Hemerocallis 'Elaine Strutt'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** Pink

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 1068 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer, Late Sum, Early Fall

**Plant in:** Spring, Late Spring



### *Daylily 'Emperor's Dragon'(M/R) slvr/plum J 26"*

**Botanical Name:** Hemerocallis 'Emperor's Dragon'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** White, Violet

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 1022 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown &


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer

**Plant in:** Early Spr, Spring, Late Spring





yellowed stems and leaves are removed in a continuous manner.



## Plant Report: Daylilies - Page 34

### *Daylily 'Fabulous Prize'(E/R) pink j 27"*

**Botanical Name:** Hemerocallis 'Fabulous Prize'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 992 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring



### *Daylily 'Fairy Tale Pink'(M/R) shell pk J 24"*

**Botanical Name:** Hemerocallis 'Fairy Tale Pink'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Pink

**Blooms:** Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Uses:** Border

**Custom:** pH 6.0-8.0

**Remarks:** 1990 Ruffled shell pink. Spent flowers are to be picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---

**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 5

**Plant in:** Spring, Late Spring



### *Daylily 'Favorite Style'(M/R) wht/pur J 24"*

**Botanical Name:** Hemerocallis 'Favorite Style' Expensive

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** White, Violet

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 2232- A light mellow buff colored bloom with a dark burgundy eye and edge. It has 4 way branching with 21 buds. Expensive!!


---

**Zone:** 5

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Blooms:** Summer



## Plant Report: Daylilies - Page 35

### *Daylily 'Flames of Fortune'(EM/R) pch jJ 32"*

**Botanical Name:** Hemerocallis 'Flames of Fortune'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink

**Blooms:** Early Sum, Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0


**Remarks:** 2070 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 5



**Plant in:** Early Spr, Spring, Late Spring

---

### *Daylily 'Fountain Tune'(M) viol jJ 33"*

**Botanical Name:** Hemerocallis 'Fountain Tune'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Violet

**Blooms:** Early Sum, Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0


**Remarks:** 2075 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 5



**Plant in:** Early Spr, Spring, Late Spring

---

### *Daylily 'Frans Hals'(ML) rust/orng AS 24"*

**Botanical Name:** Hemerocallis 'Frans Hals'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Orange

**Light:** Full Sun, Part Shade

**Soil:** Rich


**Propagate by:** Division

**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Blooms:** Late Sum, Early Fall



**Plant in:** Spring, Late Spring

## Plant Report: Daylilies - Page 36

**Custom:** pH 6.0-8.0

**Remarks:** 942 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---

## Plant Report: Daylilies - Page 37

### *Daylily 'Gala Moon' (M) melon/yel JA 30"*

**Botanical Name:** Hemerocallis 'Gala Moon'

**Class:** Hardy Perennial

**Height:** 12 - 18"

**Flower Color:** Yellow

**Light:** Full Sun, Part Shade

**Soil:** Good Drainage

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 781 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


**Zone:** 5

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer, Late Sum

**Plant in:** Late Sum, Early Fall



### *Daylily 'Garden Majesty'(ML) tang JA 31"*

**Botanical Name:** Hemerocallis 'Garden Majesty'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Orange

**Light:** Full Sun, Part Shade

**Soil:** Rich, Good Drainage, Poor Drainage

**Propagate by:** Division

**Divide in:** Spring, Fall

**Uses:** Bedding, Border, Cut Flower

**Custom:** pH 6.0-8.0

**Remarks:** 571. fragrant

---


**Zone:** 4 - 10

**Type:** Garden Plant

**Spacing / Spread:** 22 in

**Blooms:** Summer, Late Sum

**Plant in:** Spring



### *Daylily 'Gentle Shepherd'(EM) wht jJ 30"*

**Botanical Name:** Hemerocallis 'Gentle Shepherd'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** White

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Divide in:** Fall

---


**Zone:** 4 - 9

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer, Late Sum

**Plant in:** Late Spring



## Plant Report: Daylilies - Page 38

**Custom:** pH 6.0-8.0

**Remarks:** 1033 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---

## Plant Report: Daylilies - Page 39

### *Daylily 'Giddy Girlfriend'(M/R) crm/yell/lt grn J 30"*

**Botanical Name:** Hemerocallis 'Giddy Girlfriend' VERY Exp.

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Blooms:** Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Uses:** Border

**Custom:** pH 6.0-8.0


**Remarks:** 2565. Spent flowers are to be picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner

**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Plant in:** Spring, Late Spring



---

### *Daylily 'Golden Angel' (EM) gldn yel jJ 26"*

**Botanical Name:** Hemerocallis 'Golden Angel'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Yellow

**Blooms:** Early Sum, Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Uses:** Border, Fragrance

**Custom:** pH 6.0-8.0

**Remarks:** 1981 Dusty golden yellow. Spent flowers are to be picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 5

**Plant in:** Spring, Late Spring



## Plant Report: Daylilies - Page 40

### *Daylily 'Goldner's Bouquet'(ML/R) yel JAS 3'*

**Botanical Name:** Hemerocallis 'Goldner's Bouquet'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Yellow

**Light:** Full Sun


**Remarks:** 2366 Tetraploid; bloom lasts longer than most daylilies

**Zone:** 4 - 9

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Blooms:** Summer, Late Sum, Early Fall



---

### *Daylily 'Good Impression' (M) yellow j 30"*

**Botanical Name:** Hemerocallis 'Good Impression'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Yellow

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 1026 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring



---

### *Daylily 'Green Glitter'(EM/R) yell/grn jJ 32"*

**Botanical Name:** Hemerocallis 'Green Glitter'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Yellow

**Blooms:** Early Sum

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 2058 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 7

**Plant in:** Early Spr, Spring, Late Spring





## Plant Report: Daylilies - Page 41

### *Daylily 'Happy Returns'(E/R) yel jJAS18"*

**Botanical Name:** Hemerocallis 'Happy Returns'

**Class:** Hardy Perennial

**Height:** 12 - 18"

**Flower Color:** Yellow

**Blooms:** Early Sum, Summer, Late Sum, Early Fall

**Light:** Full Sun, Part Shade

**Soil:** Rich, Medium rich, Adequate Drainage, Moist, Average moisture

**Propagate by:** Seeds, Rhizomes, Division

**Divide in:** Spring, Fall

**Uses:** Border, Erosion Control, Low Maintenance

**Custom:** pH 6.0-8.0

**Remarks:** 365 WD. Good colonizer. Divide every few years when clumps become crowded. Fertilize lightly at beginning of growing season. Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become brn.


---

**Zone:** 3 - 10

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Flower Size (inches):** 5



**Plant in:** Late Spring

### *Daylily 'Hudson Valley'(M) yel J 32"*

**Botanical Name:** Hemerocallis 'Hudson Valley'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Yellow

**Blooms:** Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 2063 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


---

**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 8 - 9



**Plant in:** Early Spr, Spring, Late Spring

## Plant Report: Daylilies - Page 42

### *Daylily 'Hyperion'(M) yel jJ 40"*

**Botanical Name:** Hemerocallis 'Hyperion'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** Yellow

**Blooms:** Early Sum, Summer, Late Sum, Early Fall

**Light:** Full Sun, Part Shade

**Soil:** Rich, Medium rich, Adequate Drainage, Moist, Average moisture

**Propagate by:** Seeds, Rhizomes, Division

**Divide in:** Spring, Fall

**Uses:** Border, Erosion Control, Fragrance, Low Maintenance

**Custom:** pH 6.0-8.0


**Remarks:** 365 WD. Good colonizer. Divide every few years when clumps become crowded. Fertilize lightly at beginning of growing season. Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become brn.

**Zone:** 3 - 10

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Flower Size (inches):** 5



**Plant in:** Late Spring

---

### *Daylily 'Ice Carnival'(M/R) wht JA 28"*

**Botanical Name:** Hemerocallis 'Ice Carnival'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** White

**Light:** Full Sun, Part Shade

**Custom:** pH 6.0-8.0

**Remarks:** 1550 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer, Late Sum



---

### *Daylily 'Intruder'(EM/R) velvt red jJ 36"*

**Botanical Name:** Hemerocallis 'Intruder'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Red

**Blooms:** Summer, Late Sum

**Light:** Full Sun, Part Shade

**Soil:** Rich, Good Drainage, Poor Drainage


**Propagate by:** Division

**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Flower Size (inches):** 5 - 6



**Plant in:** Spring

**Plant Report: Daylilies - Page 43**

**Divide in:** Spring, Fall  
**Uses:** Bedding, Border, Cut Flower  
**Custom:** pH 6.0-8.0  
**Remarks:** 572.

---


## Plant Report: Daylilies - Page 44

### *Daylily 'Irish Elf'(EM/R) lemon jJA 14"*

**Botanical Name:** Hemerocallis 'Irish Elf'  
**Class:** Hardy Perennial  
**Height:** 12 - 18"  
**Flower Color:** Yellow  
**Blooms:** Early Sum, Summer, Late Sum  
**Light:** Full Sun, Part Shade  
**Soil:** Rich, Good Drainage  
**Propagate by:** Division  
**Divide in:** Spring, Fall  
**Uses:** Bedding, Border, Cut Flower  
**Custom:** pH 6.0-8.0  
**Remarks:** 317. evergreen foliage; repeat bloomer

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Flower Size (inches):** 2

**Plant in:** Spring




---

### *Daylily 'Jewel of Morning'(EM) lav j 22"*

**Botanical Name:** Hemerocallis 'Jewel of Morning'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Violet  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 982 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring




---

### *Daylily 'Joan Senior'(EM/R) wht jJ 25"*

**Botanical Name:** Hemerocallis 'Joan Senior'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** White  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division

**Zone:** 4 - 9  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Early Sum, Summer

**Plant in:** Late Spring



## Plant Report: Daylilies - Page 45

**Divide in:** Fall

**Custom:** pH 6.0-8.0

**Remarks:** 2370 Early mid rebloomers. Classic near white self with a cool pale green throat.

---

## Plant Report: Daylilies - Page 46

### *Daylily 'Jog On'(M) red/scrlt/dbl J 30"*

**Botanical Name:** Hemerocallis 'Jog On'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Red  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 1020 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer

**Plant in:** Early Spr, Spring, Late Spring




### *Daylily 'Jovian Lighting'(M) red/lt rose J 29"*

**Botanical Name:** Hemerocallis 'Jovian Lighting'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Red  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 1019 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer

**Plant in:** Early Spr, Spring, Late Spring



### *Daylily 'Karen My Love'(EM) pk/dbl jJ 21"*

**Botanical Name:** Hemerocallis 'Karen My Love'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Pink  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 994 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown &

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer

**Plant in:** Early Spr, Spring, Late Spring



yellowed stems and leaves are removed in a continuous manner.



## Plant Report: Daylilies - Page 48

### *Daylily 'King's Cloak'(M) red/wine rose jJ 25"*

**Botanical Name:** Hemerocallis 'King's Cloak'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Red  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 986 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring



---

### *Daylily 'Kitten's Paw' (EM) peach JA 24"*

**Botanical Name:** Hemerocallis 'Kitten's Paw'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Pink  
**Light:** Full Sun, Part Shade  
**Soil:** Rich, Moist  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 1066 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. Sub 'Country Petty Coats'

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer, Late Sum

**Plant in:** Spring, Late Spring




---

### *Daylily 'Knocks Yr Socks Off'(M/R) pk J 30"*

**Botanical Name:** Hemerocallis 'Knocks Your Socks Off' VERY Exp.  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Pink  
**Blooms:** Summer  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Uses:** Border  
**Custom:** pH 6.0-8.0

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 2 ft  
**Flower Size (inches):** 8

**Plant in:** Spring, Late Spring





## Plant Report: Daylilies - Page 49

**Remarks:** 2017 Dbl Pink icing bloom/ivory mid rib. Spent flowers are to be picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner

---


## Plant Report: Daylilies - Page 50

### *Daylily 'Kwanso'(ML) orng/dbl JA 48"*

**Botanical Name:** Hemerocallis 'Kwanso'  
**Class:** Hardy Perennial  
**Height:** 3 - 4'  
**Flower Color:** Orange  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 1664. 1998 CO stock 1500 gallons. Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed cont.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 2 ft  
**Blooms:** Summer, Late Sum

**Plant in:** Spring, Late Spring




### *Daylily 'Lady Eleanor'(E/R) pk jJ 20"*

**Botanical Name:** Hemerocallis 'Lady Eleanor'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Pink  
**Blooms:** Early Sum, Summer  
**Light:** Full Sun, Part Shade  
**Soil:** Rich, Good Drainage  
**Propagate by:** Division  
**Divide in:** Spring, Fall  
**Uses:** Bedding, Border, Cut Flower  
**Custom:** pH 6.0-8.0  
**Remarks:** 150.fragrant; repeat bloom

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Flower Size (inches):** 3 - 4


**Plant in:** Spring



### *Daylily 'Laughing Cavalier'(ML) lt burg w/crm JA 29"*

**Botanical Name:** Hemerocallis 'Laughing Cavalier' Expensive  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** White, Pink  
**Blooms:** Summer, Late Sum  
**Light:** Full Sun, Part Shade  
**Soil:** Rich

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Flower Size (inches):** 6



## Plant Report: Daylilies - Page 51

**Propagate by:** Division

**Uses:** Border, Fragrance

**Custom:** pH 6.0-8.0

**Remarks:** 1987 Light burgundy with cream ribs. Spent flowers are to be picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Plant in:** Spring, Late Spring

## Plant Report: Daylilies - Page 52

### *Daylily 'Lazy Hazy Days'(ML/R) lt pch JA 30"*

**Botanical Name:** Hemerocallis 'Lazy Hazy Days' Expensive  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Blooms:** Summer, Late Sum  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 2231- The bloom is layered with a few center petaloids. The color is golden fleece. It has 3 way branching with 18 buds. Expensive!!

**Zone:** 5  
**Type:** Garden Plant  
**Spacing / Spread:** 2 ft




---

### *Daylily 'Leebea Orange Crush'(EM/R) orng crm/red J 18"*

**Botanical Name:** Hemerocallis 'Leebea Orange Crush'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Orange  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 988 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer




**Plant in:** Early Spr, Spring, Late Spring

---

### *Daylily 'Liberator'(M) red/rose J 23"*

**Botanical Name:** Hemerocallis 'Liberator'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Red  
**Blooms:** Summer  
**Light:** Full Sun, Part Shade  
**Soil:** Rich, Good Drainage  
**Propagate by:** Division  
**Divide in:** Spring, Fall  
**Uses:** Bedding, Border, Cut Flower  
**Custom:** pH 6.0-8.0  
**Remarks:** 535. red w/ rose midrib

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 22 in  
**Flower Size (inches):** 7



**Plant in:** Spring

---

## Plant Report: Daylilies - Page 53

### *Daylily 'Linda Guidry'(EM) dk pk/yel J 26"*

**Botanical Name:** Hemerocallis 'Linda Guidry'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 995 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer

**Plant in:** Early Spr, Spring, Late Spring



### *Daylily 'Lingering Lovliness'(ML/R) rose jJA 32"*

**Botanical Name:** Hemerocallis 'Lingering Lovliness'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink, Green

**Blooms:** Early Sum, Summer

**Light:** Full Sun, Part Shade

**Propagate by:** Division

**Remarks:** 2349-A rose shadow colored bloom that has a layered form. it has a green throat and is lightly ruffled. Very fragrant. Expensive!


---

**Zone:** 4 - 5

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Flower Size (inches):** 6



### *Daylily 'Little Business'(EM/R) red jJ 17"*

**Botanical Name:** Hemerocallis 'Little Business'

**Class:** Hardy Perennial

**Height:** 12 - 18"

**Flower Color:** Red

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Divide in:** Spring, Late Spring

**Custom:** pH 6.0-8.0

**Remarks:** 1595 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


**Zone:** 4 - 10

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Early Sum, Summer

**Plant in:** Late Spring



## Plant Report: Daylilies - Page 54

### *Daylily 'Little Cupid'(EM) pch jJ 32"*

**Botanical Name:** Hemerocallis 'Little Cupid'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink

**Blooms:** Early Sum, Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0


**Remarks:** 2079 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 3 - 4



**Plant in:** Early Spr, Spring, Late Spring

---

### *Daylily 'Little Grapette'(E) pur j 12"*

**Botanical Name:** Hemerocallis 'Little Grapette'

**Class:** Hardy Perennial

**Height:** 8 - 12"

**Flower Color:** Violet

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0


**Remarks:** 1044 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Early Sum



**Plant in:** Early Spr, Spring, Late Spring

---

### *Daylily 'Little Wine Cup'(E/R) pk wine jJ 20"*

**Botanical Name:** Hemerocallis 'Little Wine Cup'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Pink

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division


**Custom:** pH 6.0-8.0

**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer



**Plant in:** Early Spr, Spring, Late Spring

## Plant Report: Daylilies - Page 55

**Remarks:** 996 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


## Plant Report: Daylilies - Page 56

### *Daylily 'Little Women' (EM) peach JA 12"*

**Botanical Name:** Hemerocallis 'Little Women'  
**Class:** Hardy Perennial  
**Height:** 12 - 18"  
**Flower Color:** Pink  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 896 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer, Late Sum

**Plant in:** Spring, Late Spring




### *Daylily 'Little Zinger'(EM) red jJ 15"*

**Botanical Name:** Hemerocallis 'Little Zinger'  
**Class:** Hardy Perennial  
**Height:** 12 - 18"  
**Flower Color:** Red  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Divide in:** Spring, Late Spring  
**Custom:** pH 6.0-8.0  
**Remarks:** 708 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4 - 10  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Early Sum, Summer

**Plant in:** Late Spring




### *Daylily 'Love Boat' (M) lt rose J 30"*

**Botanical Name:** Hemerocallis 'Love Boat'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Pink  
**Blooms:** Summer  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Flower Size (inches):** 7

**Plant in:** Early Spr, Spring, Late Spring





## Plant Report: Daylilies - Page 57

**Custom:** pH 6.0-8.0

**Remarks:** 2072 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---

## Plant Report: Daylilies - Page 58

### *Daylily 'Love Those Eyes'(M) gldn yell/red J 24"*

**Botanical Name:** Hemerocallis 'Love Those Eyes'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Red, Yellow

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 1031 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer

**Plant in:** Early Spr, Spring, Late Spring



### *Daylily 'Lullaby Baby'(EM) lt pk J 28"*

**Botanical Name:** Hemerocallis 'Lullaby Baby'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 999 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer

**Plant in:** Early Spr, Spring, Late Spring



### *Daylily 'Made in Savannah'(ML/R) pk JA 28"*

**Botanical Name:** Hemerocallis 'Made in Savannah' Expensive

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink

**Propagate by:** Division

**Custom:** pH 6.0-8.0


**Remarks:** 2233- Aloose centered double bloom in sunkist-coral color. It is ruffled and has a green throat. It has 3 way branching with 15 buds. Expensive!!

**Zone:** 5

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Blooms:** Summer, Late Sum



## Plant Report: Daylilies - Page 59

### *Daylily 'Mae Graham'(M) pk blend J 18"*

**Botanical Name:** Hemerocallis 'Mae Graham'

**Class:** Hardy Perennial

**Height:** 12 - 18"

**Flower Color:** Pink

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Divide in:** Fall

**Custom:** pH 6.0-8.0

**Remarks:** 645 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


**Zone:** 4 - 9

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Summer

**Plant in:** Late Spring



### *Daylily 'Magic Dawn'(EM) pk jJ 38"*

**Botanical Name:** Hemerocallis 'Magic Dawn'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** Pink

**Blooms:** Early Sum

**Light:** Full Sun, Part Shade

**Soil:** Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Spring, Fall

**Uses:** Bedding, Border, Cut Flower

**Custom:** pH 6.0-8.0

**Remarks:** 319.

---


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Flower Size (inches):** 0 - 1

**Plant in:** Spring




## Plant Report: Daylilies - Page 60

### *Daylily 'Mark My Word'(EM) red/crm jJ 26"*

**Botanical Name:** Hemerocallis 'Mark My Word'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** White, Red  
**Blooms:** Summer, Late Sum  
**Light:** Full Sun, Part Shade  
**Soil:** Rich, Good Drainage, Tolerates drought  
**Propagate by:** Division  
**Divide in:** Spring, Fall  
**Uses:** Bedding, Border, Cut Flower  
**Custom:** pH 6.0-8.0  
**Remarks:** 321. red self w/ cream edge

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 2 ft  
**Flower Size (inches):** 5 - 6

**Plant in:** Spring




### *Daylily 'Mary Todd'(E) brt yel jJ 26"*

**Botanical Name:** Hemerocallis 'Mary Todd'  
**Class:** Hardy Perennial  
**Height:** 12 - 18"  
**Flower Color:** Yellow  
**Light:** Full Sun, Part Shade  
**Soil:** Good Drainage  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 782 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 5  
**Type:** Garden Plant  
**Spacing / Spread:** 2 ft  
**Blooms:** Early Sum, Summer


**Plant in:** Late Sum, Early Fall



### *Daylily 'Mateus'(EM) rose w jJ 30"*

**Botanical Name:** Hemerocallis 'Mateus'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Pink, Violet  
**Blooms:** Early Sum, Summer  
**Light:** Full Sun, Part Shade  
**Soil:** Rich, Good Drainage

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 2 ft  
**Flower Size (inches):** 5



## Plant Report: Daylilies - Page 61

**Propagate by:** Division

**Divide in:** Spring

**Uses:** Border, Cut Flower

**Custom:** pH 6.0-8.0

**Remarks:** 338. Rose wine blooms. Spent flowers are to be picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Plant in:** Spring, Fall

## Plant Report: Daylilies - Page 62

### *Daylily 'Moses' Fire'(M/R) red J 22"*

**Botanical Name:** Hemerocallis 'Moses' Fire'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Red

**Blooms:** Summer

**Light:** Full Sun, Part Shade

**Propagate by:** Division


**Remarks:** 2347- Fiesta-red with light gold edges. Scapes are low with blooms just above the dark green foliage. Expensive!!

**Zone:** 4 - 5

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 6



### *Daylily 'Mountain Violet'(M/R) pur J 28"*

**Botanical Name:** Hemerocallis 'Mountain Violet'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Violet

**Blooms:** Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Uses:** Border

**Custom:** pH 6.0-8.0

**Remarks:** 1998 Ruffled, purple with violet band. Spent flowers are to be picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Flower Size (inches):** 5

**Plant in:** Spring, Late Spring



### *Daylily 'New Note'(M/R) red/cranbry J 26"*

**Botanical Name:** Hemerocallis 'New Note'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Red

**Blooms:** Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 5

**Plant in:** Early Spr, Spring, Late Spring



## Plant Report: Daylilies - Page 63

**Remarks:** 2068 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---

## Plant Report: Daylilies - Page 64

### *Daylily 'Outrageous'(M) burnt orng/red J 22"*

**Botanical Name:** Hemerocallis 'Outrageous'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Orange

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 989 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer

**Plant in:** Early Spr, Spring, Late Spring



---

### *Daylily 'Pandora's Box'(EM/R) crm/pur jJ 19"*

**Botanical Name:** Hemerocallis 'Pandora's Box'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Violet

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 1009 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring



---

### *Daylily 'Paper Butterfly' (EM/R) pch/violet eye jJA 24"*

**Botanical Name:** Hemerocallis 'Paper Butterfly'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Size (inches):** 5 - 6

**Light:** Full Sun, Part Shade

**Soil:** Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Spring, Fall

**Uses:** Bedding, Border, Cut Flower


**Zone:** 4 - 9

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Blooms:** Early Sum, Summer

**Plant in:** Spring, Late Spring





**Remarks:** #2715- peach colored w/ violet eye



## Plant Report: Daylilies - Page 66

### *Daylily 'Pardon Me'(M/R) red J 18"*

**Botanical Name:** Hemerocallis 'Pardon Me'

**Class:** Hardy Perennial

**Height:** 12 - 18"

**Flower Color:** Red

**Light:** Full Sun, Part Shade

**Soil:** Rich, Good Drainage, Moist

**Propagate by:** Seeds, Division

**Divide in:** Late Spring, Early Fall

**Custom:** pH 6.0-8.0

**Remarks:** 1656 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


**Zone:** 3 - 10

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer

**Plant in:** Late Spring



### *Daylily 'Park East'(M) pch J 22"*

**Botanical Name:** Hemerocallis 'Park East'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Pink, Yellow

**Blooms:** Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Spring, Fall

**Uses:** Bedding, Border, Cut Flower

**Custom:** pH 6.0-8.0

**Remarks:** 154. peach w/ pink midrib

---


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 22 in

**Flower Size (inches):** 7

**Plant in:** Spring



## Plant Report: Daylilies - Page 67

### *Daylily 'Peach Dust'(M) pch/pk J 30-32"*

**Botanical Name:** Hemerocallis 'Peach Dust'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink

**Blooms:** Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0


**Remarks:** 2077 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 5



**Plant in:** Early Spr, Spring, Late Spring

---

### *Daylily 'Persian Market' (EM/R) jJA 27"*

**Botanical Name:** Hemerocallis 'Persian Market'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Red, Pink

**Blooms:** Summer, Late Sum

**Light:** Full Sun, Part Shade

**Soil:** Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Spring, Fall

**Uses:** Bedding, Border, Cut Flower


**Remarks:** #2716- rose colored w/ red eye

**Zone:** 4 - 9

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Flower Size (inches):** 6 - 7



**Plant in:** Spring, Late Spring

---

### *Daylily 'Pink Charm'(M/R) pk jJA 30"*

**Botanical Name:** Hemerocallis 'Pink Charm'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink

**Light:** Full Sun, Part Shade

**Soil:** Rich


**Propagate by:** Division

**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Early Sum, Summer, Late Sum



**Plant in:** Spring, Late Spring

## Plant Report: Daylilies - Page 68

**Custom:** pH 6.0-8.0

**Remarks:** 1070 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


## Plant Report: Daylilies - Page 69

### *Daylily 'Pink Damask'(M/R) pk JA 24"*

**Botanical Name:** Hemerocallis 'Pink Damask'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Pink  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 1071 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer, Late Sum

**Plant in:** Spring, Late Spring



---

### *Daylily 'Pink Intrigue'(EM/R) wht/pk J 22"*

**Botanical Name:** Hemerocallis 'Pink Intrigue'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** White, Pink  
**Blooms:** Summer  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Uses:** Border  
**Custom:** pH 6.0-8.0  
**Remarks:** 1925 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Flower Size (inches):** 5

**Plant in:** Spring, Late Spring




---

### *Daylily 'Pink Knobby'(M) pk J 26"*

**Botanical Name:** Hemerocallis 'Pink Knobby'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Pink  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer

**Plant in:** Early Spr, Spring, Late Spring



## Plant Report: Daylilies - Page 70

**Custom:** pH 6.0-8.0

**Remarks:** 991 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


## Plant Report: Daylilies - Page 71

### *Daylily 'PoJo'(E/R) dk yel/dbl j 19"*

**Botanical Name:** Hemerocallis 'PoJo'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Yellow  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 1029 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring




---

### *Daylily 'Purple Magic'(ML/R) pur jJ 32-36"*

**Botanical Name:** Hemerocallis 'Purple Magic'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Violet  
**Blooms:** Early Sum, Summer  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Uses:** Border  
**Custom:** pH 6.0-8.0  
**Remarks:** 1994 Light purple with lemon heart. Spent flowers are to be picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 2 ft  
**Flower Size (inches):** 5

**Plant in:** Spring, Late Spring




---

### *Daylily 'Purple Oddity'(M) pur/yel J 30"*

**Botanical Name:** Hemerocallis 'Purple Oddity'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Violet  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer

**Plant in:** Early Spr, Spring, Late Spring



## Plant Report: Daylilies - Page 72

**Custom:** pH 6.0-8.0

**Remarks:** 1010 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---



## Plant Report: Daylilies - Page 73

### *Daylily 'Purple Waters'(EM/R) rose/pur jJA 26"*

**Botanical Name:** Hemerocallis 'Purple Waters'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Violet

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 953 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer, Late Sum

**Plant in:** Spring, Late Spring



### *Daylily 'Purple de Oro'(E/R) pur jJAS 20"*

**Botanical Name:** Hemerocallis 'Purple de Oro'

**Class:** Hardy Perennial

**Height:** 12 - 18", 18 - 24"

**Flower Color:** Violet

**Blooms:** Early Sum, Summer, Late Sum, Early Fall

**Light:** Full Sun, Part Shade

**Soil:** Rich, Tolerates drought

**Propagate by:** Division

**Divide in:** Spring, Late Spring

**Uses:** Border

**Custom:** pH 6.0-8.0

**Remarks:** 2614 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


**Zone:** 3 - 10

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 3 - 4

**Plant in:** Late Spring




## Plant Report: Daylilies - Page 74

### *Daylily 'Ragtime Ruby'(M/R) wine/red J 26"*

**Botanical Name:** Hemerocallis 'Ragtime Ruby' Expensive  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Red  
**Blooms:** Summer  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 2230- A loose centered form bloom that is ruby wine-red in color. It has good substance and is open late. Lightly creped, veined and ruffled. It has three way branching and 20 buds. Expensive!!

**Zone:** 5  
**Type:** Garden Plant  
**Spacing / Spread:** 2 ft  
**Flower Size (inches):** 5 - 6




---

### *Daylily 'Rajah'(M/R) orng JAS 36"*

**Botanical Name:** Hemerocallis 'Rajah'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Orange  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 939 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer, Late Sum, Early Fall




**Plant in:** Spring, Late Spring

---

### *Daylily 'Raspberry Lehi'(EM) hot pk jJ 25"*

**Botanical Name:** Hemerocallis 'Raspberry Lehi'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Pink  
**Blooms:** Early Sum, Summer  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 1838 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown &

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Flower Size (inches):** 5



**Plant in:** Spring, Late Spring

yellowed stems and leaves are removed in a continuous manner.



## Plant Report: Daylilies - Page 76

### *Daylily 'Razzamatazz'(EM/R) med pur jJ 20"*

**Botanical Name:** Hemerocallis 'Razzamatazz'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Violet

**Blooms:** Early Sum, Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Spring, Fall

**Uses:** Bedding, Border, Cut Flower

**Custom:** pH 6.0-8.0

**Remarks:** 91. flower color described as medium purple or grape-red; repeat bloomer


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 2 - 3

**Plant in:** Spring



---

### *Daylily 'Red Silk'(M/R) crimson J 29"*

**Botanical Name:** Hemerocallis 'Red Silk'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Red

**Blooms:** Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 2064 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 5

**Plant in:** Early Spr, Spring, Late Spring



## Plant Report: Daylilies - Page 77

### *Daylily 'Ribbonette'(M) red/wht J 34"*

**Botanical Name:** Hemerocallis 'Ribbonette'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** White, Red

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Uses:** Border

**Custom:** pH 6.0-8.0

**Remarks:** 1997 Red stripe on white. Spent flowers are to be picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner

---


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Blooms:** Summer

**Plant in:** Spring, Late Spring



### *Daylily 'Riley Barron'(M/R) red J 30"*

**Botanical Name:** Hemerocallis 'Riley Barron'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Red

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 1011 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer

**Plant in:** Early Spr, Spring, Late Spring



### *Daylily 'Rocket City'(EM) dp orng jJ 32"*

**Botanical Name:** Hemerocallis 'Rocket City'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Red, Orange

**Blooms:** Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 5

**Plant in:** Early Spr, Spring, Late Spring



## Plant Report: Daylilies - Page 78

**Custom:** pH 6.0-8.0

**Remarks:** 2179 Deep orange flowers. Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


---

## Plant Report: Daylilies - Page 79

### *Daylily 'Rosy Returns'(E/R) rosy pk jJA 18"*

**Botanical Name:** Hemerocallis 'Rosy Returns'  
**Class:** Hardy Perennial  
**Height:** 12 - 18"  
**Flower Color:** Pink  
**Blooms:** Early Sum, Summer  
**Light:** Full Sun  
**Soil:** Medium rich, Good Drainage, Average moisture  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0

**Zone:** 4 - 9  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Flower Size (inches):** 3 - 4




**Plant in:** Early Sum, Summer, Late Sum, Early Fall

---

### *Daylily 'Round Table'(M) sft pk J 32"*

**Botanical Name:** Hemerocallis 'Round Table'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Pink  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0

**Zone:** 5 - 10  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer



**Plant in:** Spring, Late Spring


**Remarks:** 812 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---

### *Daylily 'Ruth Spofford'(M) coral pk J 26"*

**Botanical Name:** Hemerocallis 'Ruth Spofford'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Pink  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer



**Plant in:** Early Spr, Spring

**Remarks:** 894 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---

## Plant Report: Daylilies - Page 80

### *Daylily 'Sammy Russell'(L) red JA 28"*

**Botanical Name:** Hemerocallis 'Sammy Russell'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Red

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Divide in:** Spring, Late Spring

**Custom:** pH 6.0-8.0

**Remarks:** 709 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4 - 10

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer, Late Sum

**Plant in:** Late Spring



### *Daylily 'Sarsaparilla'(E/R) orng/aprict crm j 28*

**Botanical Name:** Hemerocallis 'Sarsaparilla'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Orange

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 990 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring



### *Daylily 'Scatterbrain'(M/R) pch/dbl J 32"*

**Botanical Name:** Hemerocallis 'Scatterbrain'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink, Orange

**Blooms:** Summer

**Light:** Full Sun, Part Shade

**Propagate by:** Division


**Remarks:** 2346- Double bloom, Good performer scape will hold as many as six of the large blooms open at one time. Fragrant, Joiner Daylily

**Zone:** 4 - 5

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Flower Size (inches):** 6





## Plant Report: Daylilies - Page 81

### *Daylily 'School Girl'(EM) rose pk jJ 24"*

**Botanical Name:** Hemerocallis 'School Girl'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Pink

**Blooms:** Early Sum, Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Uses:** Border, Fragrance

**Custom:** pH 6.0-8.0

**Remarks:** 1985 Rose pink with melon/ruffles. Spent flowers are to be picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 4 - 5

**Plant in:** Spring, Late Spring



---

### *Daylily 'Scotland'(EM) brt red jJ 34"*

**Botanical Name:** Hemerocallis 'Scotland'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Red

**Blooms:** Early Sum, Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich, Good Drainage, Tolerates drought

**Propagate by:** Division

**Divide in:** Spring, Fall

**Uses:** Bedding, Border, Cut Flower

**Custom:** pH 6.0-8.0

**Remarks:** 477. flowers bright ruby red


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Flower Size (inches):** 5

**Plant in:** Spring



## Plant Report: Daylilies - Page 82

### *Daylily 'Sears Tower'(M) brt yel J 6'*

**Botanical Name:** Hemerocallis 'Sears Tower'

**Class:** Hardy Perennial

**Height:** 5 - 6'

**Flower Color:** Yellow

**Light:** Full Sun, Part Shade

**Soil:** Good Drainage

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 1685 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


**Zone:** 5

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Blooms:** Summer

**Plant in:** Late Sum, Early Fall



### *Daylily 'Serenity Morgan'(EM/R) lt yel jJ 22"*

**Botanical Name:** Hemerocallis 'Serenity Morgan'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Yellow

**Blooms:** Early Sum, Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Uses:** Border

**Custom:** pH 6.0-8.0

**Remarks:** 1980 Fragrant, pale yel cream. Spent flowers are to be picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 5

**Plant in:** Spring, Late Spring



### *Daylily 'Shark's Tooth'(E/R) pur/orchid j 26"*

**Botanical Name:** Hemerocallis 'Shark's Tooth'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Violet

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring



## Plant Report: Daylilies - Page 83

**Custom:** pH 6.0-8.0

**Remarks:** 1006 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---

## Plant Report: Daylilies - Page 84

### *Daylily 'Siloam Double Classic'(EM) pk JA 16"*

**Botanical Name:** Hemerocallis 'Siloam Double Classic'

**Class:** Hardy Perennial

**Height:** 12 - 18"

**Flower Color:** Pink

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 895 Full,double, fragrant 5" blossoms, spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Late Spring, Early Sum

**Plant in:** Early Sum, Summer



### *Daylily 'Siloam Double Rose'(M) red/rose/ruby J 20"*

**Botanical Name:** Hemerocallis 'Siloam Double Rose'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Red

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 1013 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer

**Plant in:** Early Spr, Spring, Late Spring



### *Daylily 'Siloam Ethel Smith'(M) pk/rose J 20"*

**Botanical Name:** Hemerocallis 'Siloam Ethel Smith'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Pink

**Blooms:** Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Uses:** Border


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 3

**Plant in:** Spring, Late Spring



## Plant Report: Daylilies - Page 85

**Custom:** pH 6.0-8.0

**Remarks:** 1992 Pink beige w/dark rose eye. Spent flowers are to be picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


## Plant Report: Daylilies - Page 86

### *Daylily 'Siloam Jim Cooper'(EM) dp red jJ 16"*

**Botanical Name:** Hemerocallis 'Siloam Jim Cooper'  
**Class:** Hardy Perennial  
**Height:** 12 - 18"  
**Flower Color:** Red  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 983 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring




### *Daylily 'Siloam June Bug'(EM) gld/maroon jJ 23"*

**Botanical Name:** Hemerocallis 'Siloam June Bug'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Red, Yellow  
**Blooms:** Early Sum, Summer  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Uses:** Border, Fragrance  
**Custom:** pH 6.0-8.0  
**Remarks:** 1984 Gold with maroon eye. Spent flowers are to be picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Flower Size (inches):** 2


**Plant in:** Spring, Late Spring



### *Daylily 'Siloam Merle Kent'(M) orchid J 18"*

**Botanical Name:** Hemerocallis 'Siloam Merle Kent'  
**Class:** Hardy Perennial  
**Height:** 12 - 18"  
**Flower Color:** Violet  
**Blooms:** Summer  
**Light:** Full Sun, Part Shade  
**Soil:** Rich, Good Drainage

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Flower Size (inches):** 3 - 4



## Plant Report: Daylilies - Page 87

**Propagate by:** Division

**Divide in:** Spring, Fall

**Uses:** Bedding, Border, Cut Flower

**Custom:** pH 6.0-8.0

**Remarks:** 287. orchid self w/ purple eye

**Plant in:** Spring

---

## Plant Report: Daylilies - Page 88

### *Daylily 'Siloam Plum Tree'(EM) pur jJ 24"*

**Botanical Name:** Hemerocallis 'Siloam Plum Tree'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Violet

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Divide in:** Fall

**Custom:** pH 6.0-8.0

**Remarks:** 648 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 1 ft

**Blooms:** Early Sum

**Plant in:** Late Spring



### *Daylily 'Siloam Pocket Size'(M) red bi-tone J 20"*

**Botanical Name:** Hemerocallis 'Siloam Pocket Size'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Red

**Blooms:** Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Spring, Fall

**Uses:** Bedding, Border, Cut Flower

**Custom:** pH 6.0-8.0

**Remarks:** 82. red self w/ red halo

---


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 3 - 4

**Plant in:** Spring





## Plant Report: Daylilies - Page 89

### *Daylily 'Siloam Ruby Christie'(ML) cor pk/dbl JA 28"*

**Botanical Name:** Hemerocallis 'Siloam Ruby Christie'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink

**Blooms:** Summer, Late Sum

**Light:** Full Sun, Part Shade

**Soil:** Rich, Good Drainage

**Uses:** Bedding, Border, Cut Flower

**Custom:** pH 6.0-8.0

**Remarks:** 233. Color described as deep shrimp coral pink.

**Zone:** 4 - 9

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Flower Size (inches):** 6

**Plant in:** Spring



### *Daylily 'Silver Ice'(EM/R) pale lav jJ 25"*

**Botanical Name:** Hemerocallis 'Silver Ice'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Violet

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 987 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring



### *Daylily 'Sir Galahad'(EM) brt red/dbl j 24"*

**Botanical Name:** Hemerocallis 'Sir Galahad'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Red

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 1014 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown &


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring



yellowed stems and leaves are removed in a continuous manner.



## Plant Report: Daylilies - Page 91

### *Daylily 'Sound of Evening'(M/R) yel/pch J 20"*

**Botanical Name:** Hemerocallis 'Sound of Evening'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Yellow

**Blooms:** Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Spring, Fall

**Uses:** Bedding, Border, Cut Flower, Naturalize

**Custom:** pH 6.0-8.0

**Remarks:** 83. It yellow self, petals ruffled w/ peach shading; repeat bloomer


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 7 - 8

**Plant in:** Spring



---

### *Daylily 'Springtime Sonata'(EM) yel jJ 21"*

**Botanical Name:** Hemerocallis 'Springtime Sonata'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Yellow

**Blooms:** Early Sum, Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Uses:** Border, Fragrance

**Custom:** pH 6.0-8.0

**Remarks:** 1983 Yellow. Spent flowers are to be picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 6

**Plant in:** Spring, Late Spring



## Plant Report: Daylilies - Page 92

### *Daylily 'Stella D'Oro'(EM/R) gld jJAS 12"*

**Botanical Name:** Hemerocallis 'Stella D'Oro'

**Class:** Hardy Perennial

**Height:** 8 - 12"

**Flower Color:** Yellow

**Light:** Full Sun, Part Shade

**Soil:** Rich, Tolerates drought

**Propagate by:** Division

**Divide in:** Spring, Late Spring

**Uses:** Border

**Custom:** pH 6.0-8.0

**Remarks:** 704 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 3 - 10

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Early Sum, Summer, Late Sum, Early Fall

**Plant in:** Late Spring



---

### *Daylily 'Strawberry Candy'(EM/R) pk/rose jJA 26"*

**Botanical Name:** Hemerocallis 'Strawberry Candy'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Pink

**Blooms:** Early Sum, Summer, Late Sum

**Light:** Full Sun, Part Shade

**Soil:** Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Spring, Fall

**Uses:** Bedding, Border, Cut Flower

**Custom:** pH 6.0-8.0

**Remarks:** 151. 1998 Stout Silver medal. Strawberry pink self/rose-red eye/green throat. Tetraploid.


**Zone:** 4 - 9

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Flower Size (inches):** 4 - 5

**Plant in:** Spring, Late Spring



## Plant Report: Daylilies - Page 93

### *Daylily 'Strutter's Ball'(M) dk blk-pur J 28"*

**Botanical Name:** Hemerocallis 'Strutter's Ball'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Violet

**Blooms:** Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Spring, Fall

**Uses:** Bedding, Border, Cut Flower

**Custom:** pH 6.0-8.0

**Remarks:** 284. dk black-purple self/silver white watermark/lemon-green throat


**Zone:** 4 - 8

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Flower Size (inches):** 6

**Plant in:** Spring



---

### *Daylily 'Suddenly It's Autumn'(ML) red-orng JAS 31"*

**Botanical Name:** Hemerocallis 'Suddenly It's Autumn'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Red, Orange

**Blooms:** Summer, Late Sum, Early Fall

**Light:** Full Sun, Part Shade

**Soil:** Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Spring, Fall

**Uses:** Bedding, Border, Cut Flower

**Custom:** pH 6.0-8.0

**Remarks:** 580. red-orange self w/ darker eye


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Flower Size (inches):** 5

**Plant in:** Spring




## Plant Report: Daylilies - Page 94

### *Daylily 'Sugar Dandy'(M) pch J 28"*

**Botanical Name:** Hemerocallis 'Sugar Dandy'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Pink  
**Blooms:** Summer  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 2057 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Flower Size (inches):** 5

**Plant in:** Early Spr, Spring, Late Spring




---

### *Daylily 'Summer Wine'(M) violet JA 24"*

**Botanical Name:** Hemerocallis 'Summer Wine'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Violet  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 954 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 2 ft  
**Blooms:** Summer, Late Sum

**Plant in:** Spring, Late Spring




---

### *Daylily 'Sunset Song'(M) apricot-yel J 32"*

**Botanical Name:** Hemerocallis 'Sunset Song'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Yellow  
**Light:** Full Sun, Part Shade  
**Propagate by:** Division  
**Uses:** Border  
**Custom:** pH 6.0-8.0

**Zone:** 4 - 8  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer

**Divide in:** Late Spring



## Plant Report: Daylilies - Page 95

**Remarks:** 1770 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---

## Plant Report: Daylilies - Page 96

### *Daylily 'Swirling Water'(EM) pur/crm jJ 22"*

**Botanical Name:** Hemerocallis 'Swirling Water'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Violet

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 1005 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer

**Plant in:** Early Spr, Spring, Late Spring



### *Daylily 'Tahitian Isle'(ML) orng-red JA 26"*

**Botanical Name:** Hemerocallis 'Tahitian Isle'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Red, Orange

**Blooms:** Summer, Late Sum

**Light:** Full Sun, Part Shade

**Soil:** Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Spring, Fall

**Uses:** Bedding, Border, Cut Flower

**Custom:** pH 6.0-8.0

**Remarks:** 543.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Flower Size (inches):** 7

**Plant in:** Spring



### *Daylily 'Telegraph Lavender'(ML) lav JA 4'*

**Botanical Name:** Hemerocallis 'Telegraph Lavender'

**Class:** Hardy Perennial

**Height:** 3 - 4'

**Flower Color:** Violet

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Summer

**Plant in:** Early Spr, Spring, Late Spring





## Plant Report: Daylilies - Page 97

**Custom:** pH 6.0-8.0

**Remarks:** 1686 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


## Plant Report: Daylilies - Page 98

### *Daylily 'The Parson's Choice'(M) lav/pur J 20"*

**Botanical Name:** Hemerocallis 'The Parson's Choice'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Violet  
**Blooms:** Summer  
**Light:** Full Sun, Part Shade  
**Soil:** Rich, Good Drainage  
**Propagate by:** Division  
**Divide in:** Spring, Fall  
**Uses:** Bedding, Border, Cut Flower  
**Custom:** pH 6.0-8.0  
**Remarks:** 325.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Flower Size (inches):** 3

**Plant in:** Spring




---

### *Daylily 'Tim Dickson'(EM) yel jJ 30"*

**Botanical Name:** Hemerocallis 'Tim Dickson'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Yellow  
**Light:** Full Sun, Part Shade  
**Soil:** Good Drainage  
**Propagate by:** Division  
**Uses:** Border, Cut Flower, Hedge  
**Custom:** pH 6.0-8.0  
**Remarks:** 782 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 5  
**Type:** Garden Plant  
**Spacing / Spread:** 2 ft  
**Blooms:** Early Sum, Summer

**Plant in:** Late Sum, Early Fall



## Plant Report: Daylilies - Page 99

### *Daylily 'Todd Monroe'(EM/R) lt buff/fuchsia jJ 20"*

**Botanical Name:** Hemerocallis 'Todd Monroe'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** White

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 1024 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring



### *Daylily 'Treasure Room'(ML) yel JA 35"*

**Botanical Name:** Hemerocallis 'Treasure Room'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Yellow

**Blooms:** Summer, Late Sum

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0

**Remarks:** 2061 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 6 - 7

**Plant in:** Early Spr, Spring, Late Spring



### *Daylily 'Valiant' (M) orange/yellow jJ 20"*

**Botanical Name:** Hemerocallis 'Valiant'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** Orange, Yellow

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0


**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Blooms:** Early Sum, Summer

**Plant in:** Spring, Late Spring



## Plant Report: Daylilies - Page 100

**Remarks:** 941 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---


## Plant Report: Daylilies - Page 101

### *Daylily 'Vanilla Fluff'(M) crmy wht/dbl J 34"*

**Botanical Name:** Hemerocallis 'Vanilla Fluff'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** White  
**Blooms:** Summer  
**Light:** Full Sun, Part Shade  
**Soil:** Rich, Good Drainage  
**Propagate by:** Division  
**Divide in:** Spring, Fall  
**Uses:** Bedding, Border, Cut Flower, Fragrance, Low Maintenance  
**Custom:** pH 6.0-8.0  
**Remarks:** 328. creamy white bloom; double

**Zone:** 3 - 9  
**Type:** Garden Plant  
**Spacing / Spread:** 30 in  
**Flower Size (inches):** 6

**Plant in:** Spring



### *Daylily 'Velvet Shadows'(ML) violet/lt lav JA 15"*

**Botanical Name:** Hemerocallis 'Velvet Shadows'  
**Class:** Hardy Perennial  
**Height:** 12 - 18"  
**Flower Color:** Violet  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 1008 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Summer


**Plant in:** Early Spr, Spring, Late Spring



### *Daylily 'Viracocha'(EM) lt melon jJ 25"*

**Botanical Name:** Hemerocallis 'Viracocha'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Orange, Yellow  
**Blooms:** Late Spring, Early Sum, Summer  
**Light:** Full Sun, Part Shade  
**Soil:** Rich, Good Drainage

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 22 in  
**Flower Size (inches):** 7



**Plant Report: Daylilies - Page 102**

**Propagate by:** Division

**Divide in:** Spring, Fall

**Uses:** Bedding, Border, Cut Flower

**Custom:** pH 6.0-8.0

**Remarks:** 344. lt. melon self; semi-evergreen foliage; Tetraploid; fragrant

**Plant in:** Spring




## Plant Report: Daylilies - Page 103

### *Daylily 'When My Sweetheart Returns'(M/R) pk jJAS 16"*

**Botanical Name:** Hemerocallis 'When My Sweetheart Returns'  
**Class:** Hardy Perennial  
**Height:** 12 - 18"  
**Flower Color:** White, Pink, Yellow  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Divide in:** Spring, Late Spring  
**Custom:** pH 6.0-8.0  
**Remarks:** 2364 Blooms 5"+ in blush lemon cream with ruffles and rose pink eye, bright lemon throat, grass green tonsils with white midribs. Short habit 16" with deep green foliage and forms clumps quickly. A dormant diploid that starts early and reblooms.

**Zone:** 4 - 10  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Early Sum, Summer, Late Sum, Early Fall

**Plant in:** Late Spring




### *Daylily 'Whimsical'(M) pk/lav J 27"*

**Botanical Name:** Hemerocallis 'Whimsical'  
**Class:** Hardy Perennial  
**Height:** 2 - 3'  
**Flower Color:** Pink, Violet  
**Blooms:** Summer  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division  
**Custom:** pH 6.0-8.0  
**Remarks:** 2062 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Flower Size (inches):** 5

**Plant in:** Early Spr, Spring, Late Spring




### *Daylily 'Whooperee'(E/R) red/rose j 24"*

**Botanical Name:** Hemerocallis 'Whooperee'  
**Class:** Hardy Perennial  
**Height:** 18 - 24"  
**Flower Color:** Red  
**Light:** Full Sun, Part Shade  
**Soil:** Rich  
**Propagate by:** Division

**Zone:** 4  
**Type:** Garden Plant  
**Spacing / Spread:** 18 in  
**Blooms:** Early Sum

**Plant in:** Early Spr, Spring, Late Spring



## Plant Report: Daylilies - Page 104

**Custom:** pH 6.0-8.0

**Remarks:** 1021 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

---



## Plant Report: Daylilies - Page 105

### *Daylily 'Wild One'(M) orng/red J 34"*

**Botanical Name:** Hemerocallis 'Wild One' EXPENSIVE

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Red, Orange

**Blooms:** Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich

**Propagate by:** Division

**Custom:** pH 6.0-8.0


**Remarks:** 2074 Multi-flowering stems have spent flowers picked off. As the blooming season passes, leaves are cut down as they become ratty. In maintaining daylilies, all brown & yellowed stems and leaves are removed in a continuous manner.

**Zone:** 4

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 7



**Plant in:** Early Spr, Spring, Late Spring

---

### *Daylily 'Wink and Smile'(E) cream/red j 26"*

**Botanical Name:** Hemerocallis 'Wink and Smile'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** White, Red

**Blooms:** Early Sum

**Light:** Full Sun, Part Shade

**Soil:** Rich, Good Drainage

**Propagate by:** Division

**Divide in:** Spring, Fall

**Uses:** Bedding, Border, Cut Flower

**Custom:** pH 6.0-8.0


**Remarks:** 605. creamy self/red eye

**Zone:** 4 - 9

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Flower Size (inches):** 3 - 4



**Plant in:** Spring

---

## Plant Report: Daylilies - Page 106

### *Daylily 'Wonder of Wonders'(ML/R) pur JA 32"*

**Botanical Name:** Hemerocallis 'Wonder of Wonders'

**Class:** Hardy Perennial

**Height:** 2 - 3'

**Flower Color:** Violet

**Blooms:** Summer, Late Sum

**Light:** Full Sun, Part Shade

**Propagate by:** Division

**Remarks:** 2350- An elusive color in doubles. This mauve, orchid bloom is loose in form though somewhat layered. It is veined with a light green throat. Expensive!!


---

**Zone:** 4 - 5

**Type:** Garden Plant

**Spacing / Spread:** 2 ft

**Flower Size (inches):** 5 - 6



### *Daylily 'Yazoo Wild Violet'(M) wine rose J 20"*

**Botanical Name:** Hemerocallis 'Yazoo Wild Violet'

**Class:** Hardy Perennial

**Height:** 18 - 24"

**Flower Color:** White, Violet

**Blooms:** Summer

**Light:** Full Sun, Part Shade

**Soil:** Rich, Poor, Good Drainage

**Propagate by:** Division, Stem cuttings

**Divide in:** Spring, Fall

**Uses:** Bedding, Border, Cut Flower

**Custom:** pH 6.0-8.0

**Remarks:** 8. wine rose self/ruffled white edges


---

**Zone:** 4 - 9

**Type:** Garden Plant

**Spacing / Spread:** 18 in

**Flower Size (inches):** 5 - 6



**Plant in:** Spring